## AURO

1230000 Version 2.2		PurSolid hard oil Revision date 18-Jan-2022	Print date 18-Jan-2022						
SEC	TION 1: Identification of th	e substance/mixture and of the company/undertakin	ng						
1.1	Product identifier								
	Trade name/designation								
	1230000	PurSolid hard oil							
1.2	Relevant identified uses of the substance or mixture and uses advised against								
	Relevant identified uses								
*	Plating agent								
1.3	Details of the supplier of the safety data sheet								
	Supplier								
	AURO Pflanzenchemie AG	Tolonhono: 140 521 28141 0							
	Alte Frankfurter Straße 211 38122 Braunschweig	Telephone: +49 531 28141-0 Telefax: +49 531 28141-72							
	Deutschland	E-mail: info@auro.de							
		Website: www.auro.de							
	Department responsible for								
	E-mail (competent person)	msds@auro.de							
	Emergency telephone numb								
	Emergency telephone number Only available during office ho								
SEC	TION 2: Hazards identifica	tion							
2.1	Classification of the substance or mixture								
	not applicable								
	Classification according to Regulation (EC) No 1272/2008 [CLP]								
	The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].								
2.2	2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms								
	not applicable								
	Signal word								
not applicable Hazard statements not applicable									
					Precautionary statements				
					not applicable				
	Hazard components for labelling								
	not applicable								
	Supplemental hazard inform								
		ety data sheet available on request.							
-	Other hazards								
		do not meet the PBT/vPvB criteria according to REACH, an							
	CTION 3: Composition / info	mation on ingreatents.							
	Mixtures								
	Description								
	Hazardous ingredients								

not applicable Remark



1230000 Version 2.2 PurSolid hard oil Revision date 18-Jan-2022

Print date 18-Jan-2022

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

## **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

## Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

## After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

## **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

## Self-protection of the first aider

First aider: Pay attention to self-protection!

## 4.2 Most important symptoms and effects, both acute and delayed

## Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

## 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

## Unsuitable extinguishing media

Strong water jet

## 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

## 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

## 6.3 Methods and material for containment and cleaning up

## For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

## For cleaning up

Clean using cleansing agents. Do not use solvents.

## AURO

Print date 18-Jan-2022

1230000PurSolid hard oilVersion 2.2Revision date 18-Jan-2022

## 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

## Advices on general occupational hygiene

When using do not eat, drink or smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

## Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

## Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

## 7.3 Specific end use(s)

Observe technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Occupational exposure limit values

No data available

**Biological limit values** 

No data available

## 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

## Personal protection equipment

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0,4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles: EN ISO 374

## Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

## Eye/face protection

Eye glasses with side protection

## **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

# AURO

1230 Vers		lid hard oil on date 18-Jan-2022	Print date 18-Jan-2022		
	Environmental exposure controls				
	Do not allow to enter into surface wat	er or drains.			
SE	CTION 9: Physical and chemical <b>p</b>	properties			
9.1	Information on basic physical and chemical properties				
	Appearance				
	Physical state	liquid			
*	Colour	refer to label			
	Safety characteristics				
	Odour	characteristic			
	Odour threshold	not determined			
	рН	not determined			
	Melting point/freezing point	not determined			
	Initial boiling point and boiling range	not determined			
	Flash point	not determined			
	Evaporation rate at 20°C	not determined			
	Burning time	not applicable			
	Lower explosion limit at 20°C	not determined			
	Upper explosion limit at 20°C	not determined			
	Vapour pressure at 20°C	0,961 mbar			
	Density at 20°C	0,944 kg/l			
	Water solubility at 20°C	practically insoluble			
	Partition coefficient: n-octanol/water	see section 12			
	Ignition temperature in °C	not determined			
	Decomposition temperature	not determined			
*	Viscosity	< 400 mm²/s			
	Explosive properties	not relevant			
	Oxidising properties	not relevant			
9.2	Other information				

not applicable

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

## 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

## 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

## 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

## 10.5 Incompatible materials

No further relevant information available.

## 10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.



Print date 18-Jan-2022

1230000	PurSolid hard oil
Version 2.2	Revision date 18-Jan-2022

## **SECTION 11: Toxicological information**

## **11.1 Information on toxicological effects**

## Acute toxicity

Based on available data, the classification criteria are not met.

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

## Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Based on available data, the classification criteria are not met.

## 12.2 Persistence and degradability

No information available.

## **12.3 Bioaccumulative potential** No information available.

12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6 Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

## Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

## Waste codes/waste designations according to EWC/AVV

080112 - waste paint and varnish other than those mentioned in 08 01 11

## Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

## **SECTION 14: Transport information**

1230000 Version 2.2	PurSolid hard oil Revision date 18-Jan-2022	Print date 18-Jan-202		
14.1 UN number				
not applicable				
14.2 UN proper shipping n	ame			
Land transport (ADR/	RID)			
• •	sense of these transport regulations.			
Sea transport (IMDG)				
	sense of these transport regulations.			
• •	Air transport (ICAO-TI / IATA-DGR) No dangerous good in sense of these transport regulations.			
14.3 Transport hazard clas	S(es)			
not applicable I4.4 Packing group				
not applicable				
4.5 Environmental hazard	ls			
Land transport (ADR/R				
Sea transport (IMDG)	not applicable			
14.6 Special precautions for	or user			
	sed, upright and safe containers. Make sure that persons to eakage. Advices on safe handling: see parts 6 - 8	transporting the product know what to do in		
-	ording to Annex II of Marpol and the IBC Code			
No transport as bulk ac	0			
4.8 Additional information	ו			
Land transport (ADR/	RID)			
not applicable				
Sea transport (IMDG)				
not applicable				
Air transport (ICAO-TI	/ IATA-DGR)			
not applicable				
SECTION 15: Regulatory	information			
5.1 Safety, health and env	vironmental regulations/legislation specific for the sub	stance or mixture		
EU legislation				
Restrictions of occup	ation			
Observe erectoverset re	estrictions we don the Motors it. Ducto stice Directive 00/05/5	TO an atriate mattice allocated in a life		

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value: 7,607 g/l

- \* Directive 2004/42/EC on the limitation of emissions of volatile organic compounds
- VOC limit value 2004/42/IIA(f): 700 g/l (2010)
- Maximum VOC content (g/L) of the product in a ready to use condition: 7.607

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

## Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

## National regulations

## 15.2 Chemical Safety Assessment

\* Chemical safety assessments for substances in this mixture were not carried out.

## AURO



 123000
 PurSolid hard oil

 Version 2.2
 PurSolid hard oil

 Revision date 18-Jan-2022
 Print date 18-Jan-2022

 SECTION 16: Other information
 Relevant R-, H- and EUH-phrases (Number and full text)Relevant R-and H-phrases (Number and full text):

 \*
 not applicable

## Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] not applicable

## Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road **OEL: Occupational Exposure Limit Value BLV: Biological limit values** CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard **DNEL: Derived No-Effect Level** EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization LC: Lethal Concentration LD: Lethal Dose MWC: Maximum wokplace concentration MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECD: Organisation for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PNEC: Predicted No Effect Concentration RID: Regulations concerning the International Carriage of Dangerous Goods by Rail **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent and very bioaccumulative

## Indication of changes

\* Data changed compared with the previous version