

		vedish red exterior wood paint evision date 08-Jul-2021	Print date 08-Jul-2021		
SE	CTION 1: Identification of the	substance/mixture and of the company/underta	king		
1.1	Product identifier				
	Trade name/designation				
	1480000	Swedish red exterior wood paint			
1.2		substance or mixture and uses advised against			
1.2	Relevant identified uses				
*	Plating agent				
1.3	Details of the supplier of the sa	afety data sheet			
	Supplier				
	AURO Pflanzenchemie AG Alte Frankfurter Straße 211 38122 Braunschweig Deutschland	Telephone: +49 531 28141-0 Telefax: +49 531 28141-72 E-mail: info@auro.de Website: www.auro.de			
	Department responsible for inf				
	E-mail (competent person)	msds@auro.de			
1.4	Emergency telephone number				
	Emergency telephone number Only available during office hours				
SE	CTION 2: Hazards identificatio	'n			
not applicable Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms not applicable			CLP].		
	Signal word				
	not applicable				
	Hazard statements				
	not applicable				
	Precautionary statements				
	not applicable				
	Hazard components for labelling not applicable				
	Supplemental hazard information				
		data sheet available on request.			
2.3	Other hazards				
		not meet the PBT/vPvB criteria according to REACH,	annex XIII.		
/	CTION 3: Composition / inform	nation on ingredients.			
3.2	Mixtures				
	Description				
	Hazardous ingredients				
	CAS No.	Substance name	woight %		

**REACH No.** 

EC No.

weight-%

# AURO

1480000	Swedish red exterior wood paint		
Version 1.2	Revision date 08-Jul-2021	Prii	nt date 08-Jul-2021
Index No.	Classification according to Regulation (EC) No 1272/2008 [CLP]		
7782-63-0 231-753-5 026-003-01-4	iron (II) sulfate (1:1) heptahydrate 01-2119513203-57 Acute Tox. 4 H302 / Skin Irrit. 2 H315 / Eye Irrit. 2 H319 Specific concentration limit (SCL): Skin Irrit. 2 H315: >= 25,00		1,00 < 2,00

## Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

## Self-protection of the first aider

First aider: Pay attention to self-protection!

## 4.2 Most important symptoms and effects, both acute and delayed

## Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

## 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

## Unsuitable extinguishing media

Strong water jet

## 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

## 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

# Ventilate affected area. Do not breathe vapours.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.



1480000	Swedish red exterior wood paint
Version 1.2	Revision date 08-Jul-2021

## 6.3 Methods and material for containment and cleaning up

#### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

## 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### Advices on general occupational hygiene

When using do not eat, drink or smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

## Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

## Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

## 7.3 Specific end use(s)

Observe technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational exposure limit values**

No data available <u>Biological limit values</u> No data available

## 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Personal protection equipment

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0,4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles:EN ISO 374



		ed exterior wood paint		
Vers		date 08-Jul-2021	Print date 08-Jul-2021	
	Skin protection			
	Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.			
	Eye/face protection Eye glasses with side protection			
	Body protection			
		s, protective clothing with CE-labels including the four o	control digits must be worn.	
	Environmental exposure controls		-	
	Do not allow to enter into surface water of	or drains.		
SE	CTION 9: Physical and chemical pro	perties		
9.1	Information on basic physical and che	emical properties		
	Appearance			
	Physical state	liquid		
*	Colour	refer to label		
	Safety characteristics			
	Odour	characteristic		
	Odour threshold	not determined		
	рН	not determined		
	Melting point/freezing point	not determined		
	Initial boiling point and boiling range	not determined		
	Flash point	not determined		
	Evaporation rate at 20°C	not determined		
	Burning time	not applicable		
	Lower explosion limit at 20°C	not determined		
	Upper explosion limit at 20°C	not determined		
	Vapour pressure at 20°C	23 mbar		
	Density at 20°C	1,105 kg/l		
	Water solubility at 20°C	partially soluble		
	Partition coefficient: n-octanol/water	see section 12		
	Ignition temperature in °C	not determined		
	Decomposition temperature	not determined		
	Viscosity	not determined		
	Explosive properties	not relevant		
	Oxidising properties	not relevant		
9.2	Other information			
	not applicable			

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

## 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

## 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

# 10.4 Conditions to avoid



1480000	Swedish red exterior wood paint
Version 1.2	Revision date 08-Jul-2021

Print date 08-Jul-2021

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

## 10.5 Incompatible materials

No further relevant information available.

## **10.6 Hazardous decomposition products**

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### iron (II) sulfate (1:1) heptahydrate

LD50: oral (Rat): = 1.096 mg/kg

LD50: oral (Rat): = 1.096 mg/kg

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### **Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Based on available data, the classification criteria are not met.

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6 Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**



1480000 Version 1		Swedish red exterior wood paint Revision date 08-Jul-2021	Print date 08-Jul-202	
13.1 Was	te treatment methods			
	duct/Packaging disposal			
Do r		se of this material and its container in a safe way. W d dangerous waste.	aste disposal according to directive	
Was	te codes/waste designati	ons according to EWC/AVV		
		containing paint or varnish other than those mention	ned in 08 01 19	
	er disposal recommendat			
Non	-contaminated packages m	ay be recycled. Vessels not properly emptied are sp	ecial waste.	
SECTIO	N 14: Transport informa	ition		
14.1 UN	number			
not a	applicable			
14.2 UN	proper shipping name			
Lan	d transport (ADR/RID)			
	No dangerous good in sense of these transport regulations.			
Sea	Sea transport (IMDG)			
No c	No dangerous good in sense of these transport regulations.			
Air t	Air transport (ICAO-TI / IATA-DGR)			
No c	langerous good in sense of	these transport regulations.		
14.3 Trar	nsport hazard class(es)			
not a	applicable			
14.4 Pac	king group			
not a	applicable			
14.5 Env	ironmental hazards			
Sea	d transport (ADR/RID) transport (IMDG)	not applicable not applicable		
-	cial precautions for user			
case	e of an accident or leakage.	ight and safe containers. Make sure that persons tra Advices on safe handling: see parts 6 - 8	ansporting the product know what to do in	
	•	o Annex II of Marpol and the IBC Code		
	ransport as bulk according	to IBC Code.		
14.8 Add	itional information			
	d transport (ADR/RID)			
	applicable			
	transport (IMDG)			
	applicable			
	ransport (ICAO-TI / IATA-	DGR)		
not a	applicable			

## EU legislation

## Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

## Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value: < 1 g/l

## \* Directive 2004/42/EC on the limitation of emissions of volatile organic compounds



	000 on 1.2	Swedish red exterior wood paint Revision date 08-Jul-2021		Print date 08-Jul-20		
	VOC limit value 2004/4	42/IIA(d): 130 g/l (2010)				
		e requirements of Regulation (EC) No. 1935/2	.004 on the limitation of VOC co	ntent.		
		on the control of major-accident hazards i				
	Hazard categories / N	lamed dangerous substances				
	This product is not clas	ssified according to Directive 2012/18/EU.				
	National regulations					
2	Chemical Safety Asse	essment				
	For the following subst	ances of this mixture a chemical safety asses	sment has been carried out:			
	REACH No.	Substance name	CAS No.	EC No.		
	01-2119513203-57	iron (II) sulfate (1:1) heptahydrate	7782-63-0	231-753-5		
ΞC	TION 16: Other info	rmation				
	Relevant R-, H- and E	UH-phrases (Number and full text)Relevar	اt R-and H-phrases (Number a	and full text):		
	H302	Harmful if swallowed.				
	H315	Causes skin irritation.				
	H319	Causes serious eye irritation.				
		ctures and used evaluation method accord	ing to regulation (EC) No 127	2/2008 [CLP]		
	not applicable					
		-	Depressue Coode by Dood			
	Abbreviations and acronyms ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road OEL: Occupational Exposure Limit Value BLV: Biological limit values CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard DNEL: Derived No-Effect Level EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI: International Code for Dangerous Goods ISO: International Gryanization for Standardization LC: Lethal Concentration MC: Maximum wokplace concentration MMRPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECED: Organisation for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PNEC: Predicted No Effect Concentration RD: Regulations concerning the International Carriage of Dangerous Goods by Rail UN: United Nations VOC: Volatile Organic Compounds VPB: very persistent and very bioaccumulative					
	Indication of changes	and very bloaccumulative				
	indication of changes	-				