AURO

Vers		Vood wax evision date 23-Jun-2023	Print date 23-Jun-202			
SE	CTION 1: Identification of the	substance/mixture and of the company/undertaking	9			
1.1	Product identifier					
	Trade name/designation					
	1870000	Wood wax				
1.2	Relevant identified uses of the	substance or mixture and uses advised against				
	Relevant identified uses	-				
	Plating agent					
1.3	Details of the supplier of the safety data sheet					
	Supplier					
	AURO Pflanzenchemie AG					
	Alte Frankfurter Straße 211 A	Telephone: +49 531 28141-0				
	38122 Braunschweig Deutschland	Telefax: +49 531 28141-72 E-mail: info@auro.de				
	Deutschland	Website: www.auro.de				
	Department responsible for info	ormation				
	E-mail (competent person)	msds@auro.de				
1.4	Emergency telephone number					
	Emergency telephone number: +4 Only available during office hours					
SE	CTION 2: Hazards identificati	on				
2.1	Classification of the substance	or mixture				
	Classification according to Regulation (EC) No 1272/2008 [CLP]					
	The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].					
2.2	Label elements					
	Labelling according to Regulation	on (EC) No. 1272/2008 [CLP]				
	Hazard pictograms	Hazard pictograms				
	not applicable					
	Signal word					
	not applicable					
	Hazard statements					
	not applicable					
	Precautionary statements					
	not applicable					
	Hazard components for labelling					
	not applicable					
	Supplemental hazard information	on				
• •	not applicable					
2.3	Other hazards	not most the DDT/ (D) D exiteria according to DEACL ennov V				
ee.		not meet the PBT/vPvB criteria according to REACH, annex X	III.			
	SECTION 3: Composition/information on ingredients.					
3.2	Mixtures Description					
	•					
*	Hazardous ingredients					
	not applicable Remark					
		s: see section 16.Full text of H-phrases: see section 16.				

SECTION 4: First aid measures

4.1 Description of first aid measures



1870000Wood waxVersion 2.2Revision date 23-Jun-2023

General information

*

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling



1870000	Wood wax
Version 2.2	Revision date 23-Jun-

Print date 23-Jun-2023

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

-2023

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0,4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection: EN 166

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
рН	not determined

AURO

1870000	Wood wax		Print date 23-Jun-2023
Version 2.2	Revision da	te 23-Jun-2023	
Melting point/freezin	ig point	not determined	
Initial boiling point a	nd boiling range	not determined	
Flash point		not determined	
flammability		not applicable	
Lower explosion lim	it at 20°C	not determined	
Upper explosion lim	it at 20°C	not determined	
Vapour pressure at	20°C	23,484 mbar	
Relative vapour den	sity	not applicable	
Density at 20 °C		1,009 kg/l	
Water solubility at 2	0°C	practically insoluble	
Partition coefficient:	n-octanol/water	see section 12	
Ignition temperature	in °C	not determined	
Decomposition temp	perature	not determined	
Viscosity at 40 °C:		not determined	

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

 Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Overall Assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard



1870 Vers	000 ion 2.2	Wood wax Revision date 23-Jun-2023	Print date 23-Jun-20
	Based on available	data, the classification criteria are not met.	
	Practical experience	ce/human evidence	
	respiratory organs, a Dizziness, fatigue, a effects through skin skin resulting in non damage.	components above the MWC-value can lead to health damage, e.g. irrit as well as damage to the liver, kidneys and the central nerve system. Ir imyosthenia, Dizziness, in serious cases: unconsciousness. Solvents n resorption. Repeated or prolonged contact with the preparation may ca -allergic contact dermatitis and/or absorption through skin. Splashing n	ndications for this are: Headache, nay cause some of the aforementioned ause removal of natural fat from the
11.2	Information on oth	er nazards	
*	Endocrine disrupti This product does n meets the criteria.	ng properties ot contain a substance that has endocrine disrupting properties with re-	spect to humans as no components
SE	CTION 12: Ecolog	ical information	
12.1	Toxicity		
	Based on available	data, the classification criteria are not met.	
2.2	Persistence and de	egradability	
	No information avail	able.	
2.3	Bioaccumulative p	otential	
	No information avail	able.	
2.4	Mobility in soil		
	No information avail	able.	
2.5	Results of PBT and	d vPvB assessment	
	The substances in t	he mixture do not meet the PBT/vPvB criteria according to REACH, and	nex XIII.
2.6	* Endocrine disrupti	ng properties	
	No information avail	able.	
12.7	Other adverse effe	cts	
	No information avail	able.	
SE	CTION 13: Dispos	al considerations	
13.1	Waste treatment m	ethods	
	Product/Packaging	y disposal	
	Do not empty into d	rains; dispose of this material and its container in a safe way. Waste dis and dangerous waste.	sposal according to directive 2008/98/
	Waste codes/waste	e designations according to EWC/AVV	
	080112 - waste pair	nt and varnish other than those mentioned in 08 01 11	
	Other disposal rec	ommendations	
		backages may be recycled. Vessels not properly emptied are special wa	aste.
	CTION 14: Transp		
4.1	UN number or ID n	umber	
	not applicable		
4.2	UN proper shippin	g name	
	Land transport (AD)R/RID)	
	No dangerous good	in sense of these transport regulations.	
	Sea transport (IMD	G)	
	No dangerous good	in sense of these transport regulations.	
	Air transport (ICAC	D-TI / IATA-DGR)	
	No dangerous good	in sense of these transport regulations.	
4.3	Transport hazard o	class(es)	
	not applicable		
	Booking group		

14.4 Packing group

not applicable

14.5 Environmental hazards



1870000	Wood wax	
Version 2.2	Revision date 23-Jun-2023	Print date 23-Jun-2023
Land transport (ADR/RID) Sea transport (IMDG)	not applicable not applicable	

14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

14.7 Maritime transport in bulk according to IMO instruments No transport as bulk according to IBC Code.

14.8 Additional information

Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR) not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

- VOC-value: 5 g/l
- * Directive 2004/42/EC on the limitation of emissions of volatile organic compounds
- * VOC limit value: 2004/42/IIA(f): 130 g/l (2010)
- Maximum VOC content (g/L) of the product in a ready to use condition: 5

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

not applicable

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road OEL: Occupational Exposure Limit Value BLV: Biological limit values CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard DNEL: Derived No-Effect Level EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk



1870000 Version 2.2	Wood wax Revision date 23-Jun-2023	Print date 23-Jun-2023
IMDG Code: Inter ISO: Internationa LC: Lethal Conce LD: Lethal Dose MWC: Maximum MARPOL: Maritin OECD: Organisat PBT: persistent, k PNEC: Predicted RID: Regulations UN: United Nation VOC: Volatile Org	wokplace concentration ne Pollution: The International Convention for the Prevention of Pol ion for Economic Cooperation and Development pioaccumulative, toxic No Effect Concentration concerning the International Carriage of Dangerous Goods by Rail	llution from Ships
Indication of cha	inges	

* Data changed compared with the previous version