

		oss paint, white white vision date 08-Jul-2021	Print date 08-Jul-202	
SE	CTION 1: Identification of the s	substance/mixture and of the company/undertaking		
1.1	Product identifier			
	Trade name/designation			
	2500090	Gloss paint, white		
1.2	Relevant identified uses of the	substance or mixture and uses advised against		
	Relevant identified uses			
	Plating agent			
1.3	Details of the supplier of the safety data sheet			
	Supplier			
	AURO Pflanzenchemie AG Alte Frankfurter Straße 211 38122 Braunschweig Deutschland	Telephone: +49 531 28141-0 Telefax: +49 531 28141-72 E-mail: info@auro.de Website: www.auro.de		
	Department responsible for info	ormation		
	E-mail (competent person)	msds@auro.de		
1.4	Emergency telephone number			
	Emergency telephone number Only available during office hours	+44 1544388535		
SE	CTION 2: Hazards identification			
2.1	Classification of the substance or mixture			
<u> </u>	not applicable			
	Classification according to Regulation (EC) No 1272/2008 [CLP]			
	The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].			
2.2	Label elements			
	Labelling according to Regulati	on (EC) No. 1272/2008 [CLP]		
	Hazard pictograms			
	not applicable			
	- · ·			
	Signal word			
	not applicable Hazard statements			
	not applicable Precautionary statements			
	not applicable			
	Hazard components for labelling			
	not applicable			
	Supplemental hazard information	on		
	EUH211 Warnir mist.	g! Hazardous respirable droplets may be formed when sprayed. Do	not breathe spray or	
2.3	Other hazards			
		not meet the PBT/vPvB criteria according to REACH, annex XIII.		
SE	CTION 3: Composition / inform	ation on ingredients.		
3.2	Mixtures			
	— • • •			

Description

Hazardous ingredients

not applicable



2500090	Gloss paint, white white
Version 3.1	Revision date 08-Jul-2021

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up



2500090	Gloss paint, white white
Version 3.1	Revision date 08-Jul-2021

Print date 08-Jul-2021

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0,4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles: EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection

Body protection

AURO

		int, white white date 08-Jul-2021 Print date 08-Jul-202					
	When handling with chemical subst	es, protective clothing with CE-labels including the four control digits must be worn.					
	Environmental exposure controls						
	Do not allow to enter into surface w	or drains.					
SE	CTION 9: Physical and chemical	perties					
9.1	Information on basic physical and chemical properties						
	Appearance						
	Physical state	liquid					
	Colour	refer to label					
	Safety characteristics						
	Odour	characteristic					
	Odour threshold	not determined					
	рН	not determined					
	Melting point/freezing point	not determined					
	Initial boiling point and boiling range	not determined					
	Flash point	not determined					
	Evaporation rate at 20°C	not determined					
	Burning time	not applicable					
	Lower explosion limit at 20°C	not determined					
	Upper explosion limit at 20°C	not determined					
r	Vapour pressure at 20°C	26,897 mbar					
	Density at 20°C	1,192 kg/l					
	Water solubility at 20°C	partially soluble					
	Partition coefficient: n-octanol/wate	see section 12					
	Ignition temperature in °C	not determined					

not determined

not determined

not relevant

not relevant

Viscosity Explosive properties Oxidising properties

Decomposition temperature

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products



2500090 Version 3.1 Gloss paint, white white Revision date 08-Jul-2021

Print date 08-Jul-2021

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

- 12.2 Persistence and degradability
 - No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Waste codes/waste designations according to EWC/AVV

080120 - aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.



2500090	Gloss paint, white white
Version 3.1	Revision date 08-Jul-2021

Print date 08-Jul-2021

SECTION 14: Transport information

14.1 UN number

not applicable

14.2 UN proper shipping name

Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

not applicable

14.4 Packing group

not applicable

14.5 Environmental hazards

Land transport (ADR/RID) Sea transport (IMDG)

14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8

not applicable

not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No transport as bulk according to IBC Code.

14.8 Additional information

Land transport (ADR/RID)

not applicable

Sea transport (IMDG)

not applicable

Air transport (ICAO-TI / IATA-DGR)

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value: 10,513 g/l

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC limit value 2004/42/IIA(d): 130 g/l (2010)

Maximum VOC content (g/L) of the product in a ready to use condition: 10.5127

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

15.2 Chemical Safety Assessment



0090 sion 3.1	Gloss paint, white white Revision date 08-Jul-2021	Print date 08-Jul-202			
Chemical safety a	assessments for substances in this mixture were not carried out.				
CTION 16: Other	information				
Relevant R-, H- and EUH-phrases (Number and full text)Relevant R-and H-phrases (Number and full text):					
not applicable					
Classification fo	r mixtures and used evaluation method according to regulati	ion (EC) No 1272/2008 [CLP]			
not applicable					
Abbreviations a	nd acronyms				
OEL: Occupation: BLV: Biological Iir CAS: Chemical A CLP: Classificatio CMR: Carcinoger DIN: German Inst DNEL: Derived N EAKV: European EC: Effective Cor EC: European Co EN: European Sta IATA-DGR: Interna ICAO-TI: Internat IMDG Code: Internat IMDG Code: Internat ISO: International LC: Lethal Conce LD: Lethal Dose MWC: Maximum MARPOL: Maritin OECD: Organisat PBT: persistent, b	bstracts Service on, Labelling and Packaging nic, Mutagenic and Reprotoxic titute for Standardization / German industrial standard o-Effect Level Waste Catalogue Directive ncentration ommunity andard national Air Transport Association – Dangerous Goods Regulation ational Air Transport Association and Equipment of Ships carrying ional Civil Aviation Organization Technical Instructions for the Saf rnational Maritime Code for Dangerous Goods I Organization for Standardization	ns g Dangerous Chemicals in Bulk fe Transport of Dangerous Goods by Air			
	concerning the International Carriage of Dangerous Goods by Ra	ail			
UN: United Nation		a			
	ganic Compounds				
	tent and very bioaccumulative				
Indication of cha	anges				
	ompared with the previous version				