# AURO

SE	ion 3.2 R	evision date 14-Jun-2023	Print date 14-Jun-20	
	CTION 1: Identification of the	substance/mixture and of the company/undertaking	ng	
.1	Product identifier			
	Trade name/designation			
	2600090	Satin paint, white		
.2	Relevant identified uses of the s	substance or mixture and uses advised against		
	Relevant identified uses	Ĵ		
	Plating agent			
1.3	Details of the supplier of the safety data sheet			
	Supplier			
	AURO Pflanzenchemie AG			
	Alte Frankfurter Straße 211 A	Telephone: +49 531 28141-0		
	38122 Braunschweig Deutschland	Telefax: +49 531 28141-72 E-mail: info@auro.de		
	Deutschland	Website: www.auro.de		
	Department responsible for information			
	E-mail (competent person)	msds@auro.de		
.4	Emergency telephone number			
	Emergency telephone number: +4 Only available during office hours.			
SE	CTION 2: Hazards identification	on		
.1	Classification of the substance	or mixture		
	Classification according to Regu	ulation (EC) No 1272/2008 [CLP]		
	The mixture is classified as not ha	zardous according to regulation (EC) No 1272/2008 [CLP].		
.2	Label elements			
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]			
	Hazard pictograms not applicable			
	Signal word			
	not applicable			
	Hazard statements			
	not applicable			
	Precautionary statements			
	not applicable			
		a		
	Hazard components for labelling	y .		
	Hazard components for labelling not applicable	9		
		-		
	not applicable Supplemental hazard informatio	-	ayed. Do not breathe spray or mist	
.3	not applicable Supplemental hazard informatio EUH211 Warni Other hazards	on ing! Hazardous respirable droplets may be formed when spra		
	not applicable Supplemental hazard informatio EUH211 Warni Other hazards The substances in the mixture do n	n ing! Hazardous respirable droplets may be formed when spra not meet the PBT/vPvB criteria according to REACH, annex		
	not applicable Supplemental hazard informatio EUH211 Warni Other hazards	n ing! Hazardous respirable droplets may be formed when spra not meet the PBT/vPvB criteria according to REACH, annex		
SE	not applicable Supplemental hazard informatio EUH211 Warni Other hazards The substances in the mixture do in CTION 3: Composition/inform Mixtures	n ing! Hazardous respirable droplets may be formed when spra not meet the PBT/vPvB criteria according to REACH, annex		
3 SE(	not applicable Supplemental hazard informatio EUH211 Warni Other hazards The substances in the mixture do n CTION 3: Composition/inform	n ing! Hazardous respirable droplets may be formed when spra not meet the PBT/vPvB criteria according to REACH, annex		
SE	not applicable Supplemental hazard informatio EUH211 Warni Other hazards The substances in the mixture do n CTION 3: Composition/inform Mixtures Description Hazardous ingredients	n ing! Hazardous respirable droplets may be formed when spra not meet the PBT/vPvB criteria according to REACH, annex		
SE	not applicable Supplemental hazard informatio EUH211 Warni Other hazards The substances in the mixture do in CTION 3: Composition/inform Mixtures Description	n ing! Hazardous respirable droplets may be formed when spra not meet the PBT/vPvB criteria according to REACH, annex		

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



2600090Satin paint, whiteVersion 3.2Revision date 14-Jun-2023

#### General information

\*

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

#### Unsuitable extinguishing media

Strong water jet

#### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

#### 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advices on safe handling



2600090	Satin paint, white
Version 3.2	Revision date 14-Jun-2023

Print date 14-Jun-2023

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### Advices on general occupational hygiene

When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

**Storage class** LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3 Specific end use(s)

Observe technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No data available

#### **Biological limit values**

No data available

#### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Personal protection equipment

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0,4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

#### **Skin protection**

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Eye glasses with side protection: EN 166

#### **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
рН	not determined

## AURO

2600090 Version 3.2	Satin paint, Revision da	white ate 14-Jun-2023	Print date 14-Jun-2023
Melting point/freezi	ng point	not determined	
Initial boiling point a	and boiling range	not determined	
Flash point		not determined	
flammability		not applicable	
Lower explosion lim	nit at 20°C	not determined	
Upper explosion lim	nit at 20°C	not determined	
Vapour pressure at	20°C	26,502 mbar	
Relative vapour der	nsity	not applicable	
Density at 20 °C		1,267 kg/l	
Water solubility at 2	20°C	practically insoluble	
Partition coefficient	: n-octanol/water	see section 12	
Ignition temperature	e in °C	not determined	
Decomposition tem	perature	not determined	
Viscosity at 40 °C:		not determined	

#### 9.2 Other information

not applicable

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### **10.3 Possibility of hazardous reactions**

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5 Incompatible materials

No further relevant information available.

#### 10.6 Hazardous decomposition products

 Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Overall Assessment on CMR properties

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard



2600 Versi	090 ion 3.2	Satin paint, white Revision date 14-Jun-2023	Print date 14-Jun-202
	Based on available data, t	he classification criteria are not met.	
	Practical experience/hur	nan evidence	
	respiratory organs, as wel Dizziness, fatigue, amyost effects through skin resort	nents above the MWC-value can lead to health damage, e. as damage to the liver, kidneys and the central nerve syst henia, Dizziness, in serious cases: unconsciousness. Solv tion. Repeated or prolonged contact with the preparation r ic contact dermatitis and/or absorption through skin. Splas	tem. Indications for this are: Headache, vents may cause some of the aforementioned may cause removal of natural fat from the
11.2	Information on other haz	ards	
*	Endocrine disrupting pro	operties	
*	This product does not con meets the criteria.	ain a substance that has endocrine disrupting properties v	with respect to humans as no components
SEC	CTION 12: Ecological i	nformation	
12.1	Toxicity		
	Based on available data, t	he classification criteria are not met.	
12.2	Persistence and degrada	bility	
	No information available.		
12.3	Bioaccumulative potenti	al	
	No information available.		
12.4	Mobility in soil		
	No information available.		
12.5	Results of PBT and vPvE		
		ture do not meet the PBT/vPvB criteria according to REAC	CH, annex XIII.
12.6*	Endocrine disrupting pro	operties	
40 -	No information available.		
12.7	Other adverse effects		
850	No information available.	noiderationa	
	CTION 13: Disposal co		
13.1	Waste treatment method		
	Product/Packaging disp		
	EC, covering waste and da	-	aste disposal according to directive 2008/98/
		gnations according to EWC/AVV	
		sions containing paint or varnish other than those mention	ed in 08 01 19
	Other disposal recomme		
SEC	CTION 14: Transport in	es may be recycled. Vessels not properly emptied are spe	
1	UN number or ID numbe		
14.1	not applicable		
14.2	UN proper shipping nam	e	
	Land transport (ADR/RID	)	
		, se of these transport regulations.	
	Sea transport (IMDG)		
		se of these transport regulations.	
	Air transport (ICAO-TI / I		
	• •	se of these transport regulations.	
14.3	Transport hazard class(e		
	not oppliable		

not applicable

14.4 Packing group

not applicable

14.5 Environmental hazards



2600090	Satin paint, white	Print date 14-Jun-2023
Version 3.2	Revision date 14-Jun-2023	
Land transport (ADR/RID) Sea transport (IMDG)	not applicable not applicable	
14.6 Special proceptions for use	. <b>r</b>	

#### 14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.
 Advices on safe handling: see parts 6 - 8

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

#### 14.8 Additional information

Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR) not applicable

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

#### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

#### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value: 11 g/l

#### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

- \* VOC limit value: 2004/42/IIA(d): 130 g/l (2010)
- Maximum VOC content (g/L) of the product in a ready to use condition: 11

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

#### National regulations

Observe in addition any national regulations!

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

not applicable

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road OEL: Occupational Exposure Limit Value BLV: Biological limit values CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard DNEL: Derived No-Effect Level EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk



2600090 Version 3.2	Satin paint, white Revision date 14-Jun-2023	Print date 14-Jun-2023
ICAO-TI: Interna IMDG Code: Int ISO: Internation LC: Lethal Com LD: Lethal Dose MWC: Maximur MARPOL: Marit OECD: Organis PBT: persistent PNEC: Predicte RID: Regulation UN: United Nati	e m wokplace concentration time Pollution: The International Convention for the Prevention of Prestion for Economic Cooperation and Development t, bioaccumulative, toxic ed No Effect Concentration ns concerning the International Carriage of Dangerous Goods by Ra	Pollution from Ships
Indication of c	hanges	

\* Data changed compared with the previous version