# AURO

		Vall paint Revision date 22-Feb-2024	Print date 07-Mar-2024	
SE	CTION 1: Identification of the	substance/mixture and of the company/undertaking		
1.1	Product identifier			
	Trade name/designation			
	3210000	Wall paint		
.2	Relevant identified uses of the	substance or mixture and uses advised against		
	Relevant identified uses			
	Matt coatings for interior walls an	d ceilinas		
1.3	Details of the supplier of the safety data sheet			
	Supplier	-		
	AURO Pflanzenchemie AG			
	Alte Frankfurter Straße 211 A	Telephone: +49 531 28141-0		
	38122 Braunschweig	Telefax: +49 531 28141-72 E-mail: info@auro.de		
	Germany	Website: www.auro.de		
	Department responsible for inf	ormation		
	E-mail (competent person)	msds@auro.de		
1.4	Emergency telephone number			
	Emergency telephone number: +			
	Only available during office hours			
SE	CTION 2: Hazards identificat	on		
2.1	Classification of the substance or mixture			
	Classification according to Reg	Classification according to Regulation (EC) No 1272/2008 [CLP]		
	The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].			
2.2	Label elements			
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]			
	Hazard pictograms			
	not applicable			
	Signal word			
	not applicable			
	Hazard statements			
	not applicable			
	Precautionary statements			
	not applicable			
	Hazard components for labellir not applicable	g		
	Supplemental hazard informati	on		
		ing! Hazardous respirable droplets may be formed when sprayed	Do not breathe spray or mist	
2.3	Other hazards			
	The substances in the mixture do	not meet the PBT/vPvB criteria according to REACH, annex XIII.		
SE	CTION 3: Composition/inforr	· · · · · · · · · · · · · · · · · · ·		
3.2	Mixtures			
	Description			
	-			
	Hazardous ingredients not applicable			
	Remark			

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



3210000	Wall paint
Version 4.2	Revision date 22-Feb-2024

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

# Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

#### Unsuitable extinguishing media

Strong water jet

#### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

# 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advices on safe handling



3210000	Wall paint
Version 4.2	Revision date 22-Feb-2024

Print date 07-Mar-2024

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### Advices on general occupational hygiene

When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

**Storage class** LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3 Specific end use(s)

Observe technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No data available

#### **Biological limit values**

No data available

#### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Personal protection equipment

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

#### Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

# Eye/face protection

Eye glasses with side protection: EN 166

#### **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

# Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
рН	not determined

# AURO

3210000 Version 4.2	Wall paint Revision date 22-Feb-2024	Print date 07-Mar-2024
Melting point/freezing point	not determined	
Initial boiling point and boiling	range not determined	
Flash point	not determined	
flammability	not applicable	
Lower explosion limit at 20°C	not determined	
Upper explosion limit at 20°C	not determined	
Vapour pressure at 20°C	23.454 mbar	
Relative vapour density	not applicable	
Density at 20 °C	1.4 kg/l	
Water solubility at 20°C	not determined	
Partition coefficient: n-octanol/	water see section 12	
Ignition temperature in °C	not determined	
Decomposition temperature	not determined	
Viscosity at 40 °C:	not determined	

## 9.2 Other information

not applicable

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

. . . . .

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

## **10.3 Possibility of hazardous reactions**

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

## 10.5 Incompatible materials

No further relevant information available.

# 10.6 Hazardous decomposition products

 Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.

# Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

# Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard



0040			
3210 Versi	000 ion 4.2	Wall paint Revision date 22-Feb-2024	Print date 07-Mar-202
	Based on available	data, the classification criteria are not met.	
	Practical experien	ce/human evidence	
	respiratory organs, Dizziness, fatigue, a effects through skin	components above the MWC-value can lead to health damage, e as well as damage to the liver, kidneys and the central nerve systemy osthenia, Dizziness, in serious cases: unconsciousness. Sol resorption. Repeated or prolonged contact with the preparation anallergic contact dermatitis and/or absorption through skin. Spla	stem. Indications for this are: Headache, lvents may cause some of the aforementioned may cause removal of natural fat from the
11.2	Information on oth	er hazards	
*	Endocrine disrupt	ng properties	
*	This product does r meets the criteria.	ot contain a substance that has endocrine disrupting properties	with respect to humans as no components
SEC	CTION 12: Ecolog	ical information	
12.1	Toxicity		
		data, the classification criteria are not met.	
12.2	Persistence and d		
	No information avai	able.	
12.3	Bioaccumulative p		
	No information avai	able.	
12.4	Mobility in soil		
	No information avai		
12.5		d vPvB assessment	
		he mixture do not meet the PBT/vPvB criteria according to REA	CH, annex XIII.
12.6*	Endocrine disrupt		
	No information avai		
12.7	Other adverse effe		
	No information avai		
SEG	CTION 13: Dispos	al considerations	
13.1	Waste treatment n	lethods	
	EC, covering waste Waste codes/wast 080120 - aqueous s Other disposal rec	rains; dispose of this material and its container in a safe way. W and dangerous waste. e designations according to EWC/AVV suspensions containing paint or varnish other than those mention commendations	ned in 08 01 19
	Non-contaminated	backages may be recycled. Vessels not properly emptied are sp	pecial waste.
SEC	CTION 14: Transp	ort information	
14.1	UN number or ID r	umber	
	not applicable		
14.2	UN proper shippin	g name	
	Land transport (Al	•	
	No dangerous good	l in sense of these transport regulations. I <b>G)</b>	
	No dangerous good	in sense of these transport regulations.	
	Air transport (ICA	)-TI / IATA-DGR)	
	No dangerous good	in sense of these transport regulations.	
14.3	Transport hazard	:lass(es)	
	not applicable		

14.4 Packing group

not applicable

# 14.5 Environmental hazards



3210000 Version 4.2	Wall paint Revision date 22-Feb-2024	Print date 07-Mar-2024
Land transport (ADR/RID) Sea transport (IMDG)	not applicable not applicable	

#### 14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.
Advices on safe handling: see parts 6 - 8

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

## 14.8 Additional information

Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR) not applicable

## SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

#### Restrictions of occupation

\* Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.
Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

#### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 0 g/l

## Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

- \* VOC limit value: 2004/42/IIA(a): 30 g/l (2010)
- This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

#### National regulations

\* Observe in addition any national regulations!

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# List of relevant hazard statements and/or precautionary statements from sections 2 to 15

not applicable

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] not applicable

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road OEL: Occupational Exposure Limit Value BLV: Biological limit values CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration

EC: European Community

EN: European Standard

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air



3210000	Wall paint	
Version 4.2	Revision date 22-Feb-2024	Print date 07-Mar-2024
IMDG Code: Intern	ational Maritime Code for Dangerous Goods	
ISO: International	Organization for Standardization	
LC: Lethal Concen	tration	
LD: Lethal Dose		
MWC: Maximum w	okplace concentration	
MARPOL: Maritime	e Pollution: The International Convention for the Prevention of Pollu	ution from Ships
OECD: Organisation	on for Economic Cooperation and Development	
PBT: persistent, bi	oaccumulative, toxic	
PNEC: Predicted N	lo Effect Concentration	
RID: Regulations of	oncerning the International Carriage of Dangerous Goods by Rail	
UN: United Nations	3	
VOC: Volatile Orga	anic Compounds	
vPvB: very persiste	ent and very bioaccumulative	
Indication of abov	300	

# Indication of changes

\* Data changed compared with the previous version.