AURO

Print date 07-Mar-2024

3280000 Version 6.0		Airfresh wallpaint Revision date 12-Feb-2024			
SE	SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1	Product identifier				
	Trade name/designation				
	3280000	Airfresh wallpaint			
	UFI:	C5Y0-U01C-H00J-0U2F			
1.2	Relevant identified uses of the substance or mixture and uses advised against				
	Relevant identified uses				
	Matt coatings for interior walls and ceilings				
1.3	Details of the supplier of the s	safety data sheet			
	Supplier AURO Pflanzenchemie AG Alte Frankfurter Straße 211 A 38122 Braunschweig Germany Department responsible for in	Telephone: +49 531 28141-0 Telefax: +49 531 28141-72 E-mail: info@auro.de Website: www.auro.de hformation			
	E-mail (competent person) Emergency telephone numbe	msds@auro.de			
1.4	r +44 1544388535 rs.				
SECTION 2: Hazards identification					
2.1	Classification of the substance or mixture				
	Classification according to Regulation (EC) No 1272/2008 [CLP]				
	The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Eye Dam. 1; Serious eye damage/eye irritation; H318 Causes serious eye damage. Skin Irrit. 2; Skin corrosion/irritation; H315 Causes skin irritation.				
2.2					
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]				

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

LE R	
GHS05	
Signal word	
Danger	
Hazard statements	
H318 H315	Causes serious eye damage. Causes skin irritation.
Precautionary stateme	nts
P101 P102 P280	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wear protective gloves and eye/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER.
Hazard components fo	r labelling
Calcium dihydroxide	
Supplemental hazard in	nformation
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Print date 07-Mar-2024

3280000Airfresh wallpaintVersion 6.0Revision date 12-Feb-2024

SECTION 3: Composition/information on ingredients.

3.2 Mixtures

Description

Hazardous ingredients

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
1305-62-0	Calcium dihydroxide	25,0 < 35,0
215-137-3	01-2119475151-45	
-	Skin Irrit. 2 H315 / Eye Dam. 1 H318 / STOT SE 3 H335	
	ATE (oral): > 2,000 mg/kg	
	ATE (oral): > 2,000 mg/kg	_

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ventilate affected area. Do not breathe vapours.



3280000	Airfresh wallpaint
Version 6.0	Revision date 12-Feb-2024

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

	CAS No.	Substance name	Source	Long-term /short-term (Spitzenbegrenzung)
	1305-62-0	Calcium dihydroxide	WEL	5 / - (-) mg/m³
*	1305-62-0	Calcium dihydroxide	WEL	1 / 4 (-) mg/m ³ (respirable fraction)

Additional information

Long-term: Long-term occupational exposure limit value short-term: short-term occupational exposure limit value

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Airfresh wallpaint

Revision date 12-Feb-2024

3280000

Version 6.0



Hand protection Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles: EN ISO 374 Skin protection Barrier creams can help protecting exposed skin areas. In no case should they be used after contact. Eye/face protection Eye glasses with side protection: EN 166 **Body protection** When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn. Environmental exposure controls Do not allow to enter into surface water or drains. **SECTION 9: Physical and chemical properties** Information on basic physical and chemical properties 9.1 Physical state Liquid Colour refer to label Odour characteristic 12 pН Melting point/freezing point not determined Initial boiling point and boiling range not determined Flash point not determined not applicable flammability Lower explosion limit at 20°C not determined Upper explosion limit at 20°C not determined Vapour pressure at 20°C 23 mbar not applicable Relative vapour density Density at 20 °C 1.4 kg/l

Relative vapour densitynot applicableDensity at 20 °C1.4 kg/lWater solubility at 20°Cpractically insolublePartition coefficient: n-octanol/watersee section 12Ignition temperature in °Cnot determinedDecomposition temperaturenot determined

9.2 Other information

Viscosity at 20 °C:

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

4,363.32 mm²/s

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.



3280000	Airfresh wallpaint
Version 6.0	Revision date 12-Feb-2024

Print date 07-Mar-2024

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

 Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Calcium dihydroxide

- LD50: oral (Rat): > 2,000 mg/kg
- LD50: oral (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

<u>STOT-single exposure</u>

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

* Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.


Acute (short-term) fish toxicity

Calcium dihydroxide

LC50: (Oncorhynchus mykiss (Rainbow trout)): = 50.6 mg/L (96 h) Method: OECD 203

Acute (short-term) toxicity to algae and cyanobacteria

- * EC50 (Pseudokirchneriella subcapitata): = 184.57 mg/L (72 h) Method: OECD 201
- EC10 (Pseudokirchneriella subcapitata): = 79.22 mg/L (72 h) Method: OECD 201
- Acute (short-term) toxicity to crustacea
 * EC50 (Daphnia magna (Big water flea)): = 49.1 mg/L (48 h) Method: OECD 202



No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

Sea transport (IMDG)

not applicable

not applicable

14.4 Packing group

3280000

Version 6.0

Method: OECD 202

No information available.

No information available.

No information available.

No information available. 12.7 Other adverse effects

No information available.

12.4 Mobility in soil

- not applicable
- 14.5 Environmental hazards

Land transport (ADR/RID) Sea transport (IMDG)

not applicable not applicable

14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

14.8 Additional information

Land transport (ADR/RID)

not applicable

Sea transport (IMDG)

not applicable



3280000Airfresh wallpaintVersion 6.0Revision date 12-Feb-2024

Print date 07-Mar-2024

Air transport (ICAO-TI / IATA-DGR)

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

* VOC value: 0 g/l

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

- VOC limit value: 2004/42/IIA(a): 30 g/l (2010)
- Maximum VOC content of the product in a ready to use condition: 0

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

REACH No.	Substance name	CAS No. EC No.
01-2119475151-45	Calcium dihydroxide	1305-62-0 215-137-3

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15					
H315	Causes skin irritation.				
H318	Causes serious eye damage.				
H335	May cause respiratory irritation.				
Classification for mixture	s and used evaluation method according to regulation (EC) No 1272/2008 [CLP]				
Eye Dam. 1	Calculation method.				
Skin Irrit. 2	Calculation method.				
Abbreviations and acrony	ms				
ADR: European Agreement	concerning the International Carriage of Dangerous Goods by Road				
OEL: Occupational Exposu	re Limit Value				
BLV: Biological limit values					
CAS: Chemical Abstracts S					
CLP: Classification, Labellin					
CMR: Carcinogenic, Mutage	tandardization / German industrial standard				
DNEL: Derived No-Effect Le					
EAKV: European Waste Ca					
EC: Effective Concentration					
EC: European Community					
EN: European Standard					
	r Transport Association – Dangerous Goods Regulations				
	IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk				
ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air					
IMDG Code: International Maritime Code for Dangerous Goods					
ISO: International Organization for Standardization					
LC: Lethal Concentration LD: Lethal Dose					
LD: Lethal Dose MWC: Maximum wokplace concentration					
MARPOL: Maximum wokplace concentration MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships					
OECD: Organisation for Economic Cooperation and Development					
eleb. organication for Ed					



Print date 07-Mar-2024

3280000	Airfresh wallpaint		
Version 6.0	Revision date 12-Feb-2024		
PBT: persistent, bioaccumulative, toxic			

PNEC: Predicted No Effect Concentration

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

Indication of changes

* Data changed compared with the previous version.