

3410000 Version 3.0		olith Interior - lime vision date 02-May-2022	Print date 02-May-2022			
SE	CTION 1: Identification of the	substance/mixture and of the company/undertaking	I			
1.1	Product identifier					
	Trade name/designation					
	3410000	Ecolith Interior - lime				
1.2	Relevant identified uses of the	substance or mixture and uses advised against				
	Relevant identified uses					
	Matt coatings for interior walls and ceilings					
1.3	Details of the supplier of the sa	fety data sheet				
	Supplier					
	AURO Pflanzenchemie AG					
	Alte Frankfurter Straße 211 38122 Braunschweig	Telephone: +49 531 28141-0 Telefax: +49 531 28141-72				
	Deutschland	E-mail: info@auro.de				
		Website: www.auro.de				
	Department responsible for inf	Department responsible for information				
	E-mail (competent person)	msds@auro.de				
1.4	Emergency telephone number					
	Emergency telephone number Only available during office hours	+44 1544388535				
ог						
	CTION 2: Hazards identificatio					
2.1	Classification of the substance or mixture					
	Classification according to Regulation (EC) No 1272/2008 [CLP]					
	The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Eye Dam. 1; Serious eye damage/eye irritation; H318 Causes serious eye damage.					
	Skin Irrit. 2; Skin corrosion/irritatio					
2.2	Label elements					
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]					
	Hazard pictograms					
	<u>^</u>					
	E.F.					
	GHS05					
	Signal word					
	Danger					

Danger	
Hazard statements	
H318	Causes serious eye damage.
H315	Causes skin irritation.
Precautionary stateme	ints
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves and eye/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER.
Hazard components for	or labelling
Calcium dihydroxide	
Supplemental hazard i	nformation

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



3410000Ecolith Interior - limeVersion 3.0Revision date 02-May-2022

2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition / information on ingredients.

3.2 Mixtures

Description

Hazardous ingredients

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
1305-62-0 215-137-3 -	Calcium dihydroxide 01-2119475151-45 Skin Irrit. 2 H315 / Eye Dam. 1 H318 / STOT SE 3 H335	25,0 < 35,0

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters



3410000Ecolith Interior - limeVersion 3.0Revision date 02-May-2022

Print date 02-May-2022

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

CAS No.	Substance name	Source	Long-term /short-term (Spitzenbegrenzung)
1305-62-0	Calcium dihydroxide	WEL	5 / - (-) mg/m³
1305-62-0	Calcium dihydroxide	WEL	1 / 4 (-) mg/m ³

Additional information

Long-term: Long-term occupational exposure limit value short-term: short-term occupational exposure limit value

Biological limit values



3410000

Version 3.0

Ecolith Interior - lime Revision date 02-May-2022

Print date 02-May-2022

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles: EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

, appearance	
Physical state	liquid
Colour	refer to label
Safety characteristics	
Odour	characteristic
Odour threshold	not determined
рН	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
Evaporation rate at 20°C	not determined
Burning time	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	23 mbar
Density at 20°C	1 kg/l
Water solubility at 20°C	practically insoluble
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined
Decomposition temperature	not determined
Viscosity	not determined
Explosive properties	not relevant
Oxidising properties	not relevant
Other information	

9.2 Other information



3410000Ecolith Interior - limeVersion 3.0Revision date 02-May-2022

Print date 02-May-2022

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Calcium dihydroxide

LD50: oral (Rat): > 2.000 mg/kg

LD50: oral (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

3410000 Version 3.0	Ecolith Interior - lime Revision date 02-May-2022	Drint data 02 May
Calcium dihydro	· · · · · · · · · · · · · · · · · · ·	Print date 02-May
	chus mykiss (Rainbow trout)): = 50,6 mg/L (96 h)	
Calcium dihydro	chneriella subcapitata): = 184,57 mg/L (72 h)	
Calcium dihydro EC10 (Pseudokiro Method: OECD 20	chneriella subcapitata): = 79,22 mg/L (72 h)	
Calcium dihydro	nagna (Big water flea)): = 49,1 mg/L (48 h)	
Calcium dihydro NOEC (Daphnia r Method: OECD 20	magna (Big water flea)): = 33,3 mg/L (48 h)	
12.2 Persistence and	degradability	
No information av	ailable.	
12.3 Bioaccumulative	potential	
No information av	ailable.	
12.4 Mobility in soil		
No information av	ailable.	
	and vPvB assessment	
12.6 Other adverse ef		REACH, annex XIII.
No information av		
SECTION 13: Dispo		
13.1 Waste treatment		
2008/98/EC, cove	ing disposal o drains; dispose of this material and its container in a safe way ering waste and dangerous waste. ste designations according to EWC/AVV	v. Waste disposal according to directive
The allocation of industry and proc Other disposal r	waste identity numbers/waste descriptions must be carried out ess. ecommendations	
Non-contaminate	d packages may be recycled. Vessels not properly emptied are	e special waste.
SECTION 14: Trans	port information	
14.1 UN number		
not applicable		
14.2 UN proper shipp	ing name	
Land transport (ADR/RID)	

Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

not applicable

14.4 Packing group

UR

Print date 02-May-2022



according to Regulation				
3410000 Version 3.0	Ecolith Interior - lime Revision date 02-May-2022	P	rint date 02-May-202	
		F	Tint date 02-may-202	
not applicable 14.5 Environmental haza	rde			
Land transport (ADR/				
Sea transport (IMDG)	, , , , , , , , , , , , , , , , , , , ,			
14.6 Special precautions				
	losed, upright and safe containers. Make sure that perso r leakage. Advices on safe handling: see parts 6 - 8	ons transporting the produ	ict know what to do in	
14.7 Transport in bulk ac	cording to Annex II of Marpol and the IBC Code			
•	according to IBC Code.			
14.8 Additional informati	on			
Land transport (ADF	₹/RID)			
not applicable				
Sea transport (IMDG	i)			
not applicable				
Air transport (ICAO-	II / IATA-DGR)			
not applicable				
SECTION 15: Regulato	-			
15.1 Safety, health and e	nvironmental regulations/legislation specific for the	substance or mixture		
EU legislation				
Restrictions of occu	pation			
	restrictions under the Maternity Protection Directive 92/	/85/EEC or stricter nationa	al regulations, if	
Observe restrictions t	applicable. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.			
Directive 2010/75/EL	J on industrial emissions [Industrial Emissions Direc	ctive]		
VOC-value: < 1 g/l				
Directive]	Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III- Directive] Hazard categories / Named dangerous substances			
-	assified according to Directive 2012/18/EU.			
National regulations				
15.2 Chemical Safety Ass				
-	stances of this mixture a chemical safety assessment ha	as been carried out:		
REACH No.	Substance name	CAS No.	EC No.	
01-2119475151-45	Calcium dihydroxide	1305-62-0	215-137-3	
SECTION 16: Other info	ormation			
Relevant R- H- and	EUH-phrases (Number and full text)Relevant R-and	H-phrases (Number and	full text):	
H315	Causes skin irritation.		iun toxty:	
H318	Causes serious eye damage.			
H335	May cause respiratory irritation.			
	xtures and used evaluation method according to re-	gulation (EC) No 1272/20	008 [CLP]	
Eye Dam. 1 Skin Irrit. 2	Calculation method. Calculation method.			
Abbreviations and a				
	ement concerning the International Carriage of Dangero	ous Goods by Road		
OEL: Occupational Ex BLV: Biological limit v	xposure Limit Value			

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic



3410000	Ecolith Interior - lime	
Version 3.0	Revision date 02-May-2022	Print date 02-May-2022
DIN: German Ins DNEL: Derived N EAKV: European EC: Effective Co EC: European Co EN: European St IATA-DGR: Inter IBC Code: Intern ICAO-TI: Interna IMDG Code: Inter ISO: Internationa LC: Lethal Conce LD: Lethal Dose MWC: Maximum MARPOL: Maritin OECD: Organisa PBT: persistent, PNEC: Predicteo RID: Regulations UN: United Natio VOC: Volatile Or vPvB: very persistent	stitute for Standardization / German industrial standard No-Effect Level In Waste Catalogue Directive Incentration Incentr	ions ving Dangerous Chemicals in Bulk Safe Transport of Dangerous Goods by Air
Indication of ch	anges	

* Data changed compared with the previous version