AURO

4030 Vers	0000 ion 3.0	Wood soap Revision date 12-Feb-2024	Print date 07-Mar-202
SE	CTION 1: Identific	ation of the substance/mixture and of the company/undertaking	
 1.1	Product identifier		
	Trade name/design		
	4030000	Wood soap	
1.2	Relevant identified	uses of the substance or mixture and uses advised against	
	Relevant identified	uses	
	Etchant and acids		
1.3	Details of the supp	lier of the safety data sheet	
	Supplier		
	AURO Pflanzencher		
	Alte Frankfurter Stra 38122 Braunschweig		
	Germany	E-mail: info@auro.de	
		Website: www.auro.de	
	Department respor	nsible for information	
	E-mail (competent p	•	
1.4	Emergency telepho		
	Emergency telephor Only available during	ne number: +44 1544388535 g office hours.	
SE	CTION 2: Hazards	identification	
2.1	Classification of th	e substance or mixture	
	Classification acco	rding to Regulation (EC) No 1272/2008 [CLP]	
	The mixture is classi	ified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	
2.2	Label elements		
	Labelling according	g to Regulation (EC) No. 1272/2008 [CLP]	
	Hazard pictograms		
	not applicable		
	Signal word		
	not applicable		
	Hazard statements		
	not applicable		
	Precautionary state	ements	
	not applicable		
	Hazard component	s for labelling	
	not applicable		
	Supplemental haza	rd information	
	EUH210	Safety data sheet available on request.	
2.3	Other hazards		
		ne mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.	
	-	ition/information on ingredients.	
3.2	Mixtures		
	Description		
	Hazardous ingredie	ents	
	CAS No. EC No.	Substance name REACH No.	weight-%
	Index No.	Classification according to Regulation (EC) No 1272/2008 [CLP]	

	Index No.	Classification according to Regulation (EC) No 1272/2008 [CLP]	weight /	
*	603-002-00-5	ethanol; ethyl alcohol 01-2119457610-43-xxxx Flam. Liq. 2 H225 / Eye Irrit. 2 H319 Specific concentration limit (SCL)	3,00 < 5,00	



4030000 Version 3.0	Wood soap Revision date 12-Feb-2024	Print date 07-Mar-2024
	Eye Irrit. 2 H319: >= 50,00 ATE (oral): = 10,470 mg/kg ATE (dermal): > 2,000 mg/kg ATE (inhalative): = 124.7 mg/L (4 h) ATE (oral): = 10,470 mg/kg ATE (dermal): > 2,000 mg/kg ATE (inhalative): = 124.7 mg/L (4 h)	

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment



4030000	Wood soap
Version 3.0	Revision date 12-Feb-2024

Print date 07-Mar-2024

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

	CAS No.	Substance name	Source	Long-term /short-term (Spitzenbegrenzung)
*	64-17-5	ethanol; ethyl alcohol	WEL	1,920 / - (-) mg/m³

Additional information

Long-term: Long-term occupational exposure limit value short-term: short-term occupational exposure limit value

Biological limit values

No data available

* DNEL worker

	CAS No.	Substance name	DNEL type	DNEL value
*	64-17-5	ethanol; ethyl alcohol	Acute - inhalation, local effects	1,900 mg/m ³
*	64-17-5	ethanol; ethyl alcohol	Long-term - dermal, systemic effects	343 mg/kg bw
*	64-17-5	ethanol; ethyl alcohol	Long-term – inhalation, systemic effects	950 mg/m³

DNEL Consumer

	CAS No.	Substance name	DNEL type	DNEL value
*	64-17-5	ethanol; ethyl alcohol	Acute - inhalation, local effects	950 mg/m³
*	64-17-5	ethanol; ethyl alcohol	Long-term - dermal, systemic effects	206 mg/kg bw



3.6 mg/kg

580 mg/L

0.63 mg/kg

Value
,

soil

sediment, freshwater

sewage treatment plant

* <u>64-17-5</u> ethanol; ethyl alcohol
8.2 Exposure controls

64-17-5

64-17-5

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

ethanol; ethyl alcohol

ethanol; ethyl alcohol

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection: EN 166

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
pH	8.9
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	24.399 mbar
Relative vapour density	not applicable
Density at 20 °C	1.0 kg/l
Water solubility at 20°C	partially soluble
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined

AURO

		Vood soap Revision date 12-Feb-2024	Print date 07-Mar-202
	Decomposition temperature	not determined	
	Viscosity at 20 °C:	< 20 mm²/s	
9.2	Other information		
.2	not applicable		
SE	CTION 10: Stability and reac	tivity.	
	•	livity	
0.1	Reactivity	e stivite e veile le feu this was dont eu its is sus disute	
0.2		activity available for this product or its ingredients.	
0.2	Chemical stability Stable when applying the recomm section 7.	nended regulations for storage and handling. Further	r information on correct storage: refer to
0.3	Possibility of hazardous reaction	ons	
	-	ong bases and strong oxidizing agents to avoid exoth	nermic reactions.
0.4	Conditions to avoid		
	Stable when applying the recomm	nended regulations for storage and handling. Further tion byproducts may form with exposure to high temp	
0.5	Incompatible materials		
	No further relevant information av	vailable.	
0.6	Hazardous decomposition proc	lucts	
	Hazardous decomposition byproomonoxide, smoke.	ducts may form with exposure to high temperatures e	e.g.: Carbon dioxide (CO2), Carbon
SE	CTION 11: Toxicological info	rmation	
1.1	Information on hazard classes	as defined in Regulation (EC) No 1272/2008	
	Acute toxicity		
	Based on available data, the clas	sification criteria are not met.	
	ethanol; ethyl alcohol		
	LD50: oral (Rat): = 10,470 mg/kg		
r	LD50: dermal (Rabbit): > 2,000 m	ng/kg	
	LC50: inhalative (Rat): = 124.7 m	g/L (4 h)	
	LD50: oral (Rat): = 10,470 mg/kg		
	LD50: dermal (Rabbit): > 2,000 m		
	LC50: inhalative (Rat): = 124.7 m		
		g/L (4 II)	
	Skin corrosion/irritation		
	Based on available data, the class		
	Serious eye damage/eye irritati		
	Based on available data, the clas		
	Respiratory or skin sensitisation		
	Based on available data, the class		
	Overall assessment on CMR pr Based on available data, the class		
	STOT-single exposure Based on available data, the clas	sification criteria are not met	
	STOT-repeated exposure		
	Based on available data, the clas	sification criteria are not met	
	Aspiration hazard		
	Based on available data, the clas	sification criteria are not met	



4030000	Wood soap
Version 3.0	Revision date 12-Feb-2024

Print date 07-Mar-2024

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

* Endocrine disrupting properties

 This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water = -0.35 (ethanol; ethyl alcohol)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6* Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

Waste codes/waste designations according to EWC/AVV

200129* - Detergents containing hazardous substances

Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

14.1 UN number or ID number

not applicable

14.2 UN proper shipping name

Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

not applicable

14.4 Packing group

not applicable

14.5 Environmental hazards

Land transport (ADR/RID) Sea transport (IMDG) not applicable not applicable



4030000Wood soapVersion 3.0Revision date 12-Feb-2024

Print date 07-Mar-2024

14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

14.8 Additional information

Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR) not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

- VOC value: 34 g/l
- Directive 2004/42/EC on the limitation of emissions of volatile organic compounds
- * VOC limit value: 2004/42/IIA(f): 130 g/l (2010)
- Maximum VOC content of the product in a ready to use condition: 34

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

* Observe in addition any national regulations!

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

REACH No.	Substance name	CAS No. EC No.
01-2119457610-43-xxxx	ethanol; ethyl alcohol	64-17-5 200-578-6

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15		
H225	Highly flammable liquid and vapour.	

H319 Causes serious eye irritation.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road OEL: Occupational Exposure Limit Value BLV: Biological limit values CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard DNEL: Derived No-Effect Level EAKV: European Waste Catalogue Directive EC: Effective Concentration



4030000	Wood soap		
Version 3.0	Revision date 12-Feb-2024	Print date 07-Mar-2024	
EC: European Cor	nmunity		
EN: European Sta	ndard		
IATA-DGR: Interna	ational Air Transport Association – Dangerous Goods Regulations		
IBC Code: Internation	tional Code for the Construction and Equipment of Ships carrying D	Dangerous Chemicals in Bulk	
ICAO-TI: Internation	onal Civil Aviation Organization Technical Instructions for the Safe T	Transport of Dangerous Goods by Air	
IMDG Code: Interr	national Maritime Code for Dangerous Goods		
ISO: International	Organization for Standardization		
LC: Lethal Concer	tration		
LD: Lethal Dose			
MWC: Maximum v	okplace concentration		
MARPOL: Maritim	MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships		
OECD: Organisati	on for Economic Cooperation and Development		
PBT: persistent, bi	oaccumulative, toxic		
PNEC: Predicted I	No Effect Concentration		
RID: Regulations of	concerning the International Carriage of Dangerous Goods by Rail		

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

Indication of changes

* Data changed compared with the previous version.