# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



4830000 Bleaching component Version 2.1 Revision date 08-Jul-2021

Print date 08-Jul-2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### Trade name/designation

4830000 Bleaching component

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Cleaning agent

#### 1.3 Details of the supplier of the safety data sheet

#### Supplier

AURO Pflanzenchemie AG

Alte Frankfurter Straße 211
38122 Braunschweig
Deutschland
Telephone: +49 531 28141-0
Telefax: +49 531 28141-72
E-mail: info@auro.de
Website: www.auro.de

#### Department responsible for information

E-mail (competent person) msds@auro.de

#### 1.4 Emergency telephone number

Emergency telephone number +44 1544388535 Only available during office hours.

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Eye Dam. 1; Serious eye damage/eye irritation; H318 Causes serious eye damage.

Skin Corr. 1; Skin corrosion/irritation; H314 Causes severe skin burns and eye damage.

# 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# **Hazard pictograms**



GHS05

#### Signal word

Danger

#### **Hazard statements**

\* H314 Causes severe skin burns and eye damage.

# **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P260 Do not breathe vapours.

P280 Wear protective gloves and eye/face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

\* P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

\* P405 Store locked up.

\* P501 Dispose of contents/container to industrial incineration plant.

Page 1/8 GB (en GB)

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



4830000 Bleaching component
Version 2.1 Revision date 08-Jul-2021

Print date 08-Jul-2021

#### Hazard components for labelling

Disodium disilicate

#### Supplemental hazard information

not applicable

## 2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition / information on ingredients.**

#### 3.2 Mixtures

## **Description**

## **Hazardous ingredients**

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
13870-28-5 237-623-4 -	Disodium disilicate 01-2119485031-47-XXXX Eye Dam. 1 H318 Specific concentration limit (SCL): Eye Dam. 1 H318: >= 10,00	> 70,0
15630-89-4 239-707-6 -	Disodium carbonate, compound with hydrogen peroxide (2:3) 01-2119457268-30 Ox. Sol. 3 H272 / Acute Tox. 4 H302 / Eye Dam. 1 H318 Specific concentration limit (SCL): Eye Irrit. 2 H319: >= 7,50 / Eye Dam. 1 H318: >= 25,00	20,0 < 25,0

#### Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

## Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

# Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eve contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

## Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

# 4.2 Most important symptoms and effects, both acute and delayed

## **Symptoms**

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

Page 2/8 GB (en GB)

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



4830000 Bleaching component
Version 2.1 Revision date 08-Jul-2021

Print date 08-Jul-2021

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

#### Unsuitable extinguishing media

Strong water jet

#### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

\* Take up mechanically, placing in appropriate containers for disposal.

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

#### 6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: refer to section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

# Advices on general occupational hygiene

When using do not eat, drink or smoke.

# 7.2 Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

## Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3 Specific end use(s)

Observe technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Page 3/8 GB (en GB)

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



4830000 Bleaching component
Version 2.1 Revision date 08-Jul-2021

Print date 08-Jul-2021

#### Occupational exposure limit values

No data available

## **Biological limit values**

No data available

### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Personal protection equipment

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Hand protection

Suitable material: NBR (Nitrile rubber)
Thickness of the glove material >= 0,4 mm

Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles: EN ISO 374

#### Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

## Eye/face protection

Eve glasses with side protection

#### **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

\* Physical state solid

\* Colour refer to label

Safety characteristics

\* Odour stinging

Odour threshold not determined

\* pH 12,2

Melting point/freezing point not determined Initial boiling point and boiling range not determined Flash point not determined Evaporation rate at 20°C not determined Burning time not applicable Lower explosion limit at 20°C not determined Upper explosion limit at 20°C not determined Vapour pressure at 20°C not determined Density at 20°C 2,338 kg/l Water solubility at 20°C partially soluble Partition coefficient: n-octanol/water see section 12

Page 4/8 GB (en GB)

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



4830000 Bleaching component
Version 2.1 Revision date 08-Jul-2021

Print date 08-Jul-2021

Ignition temperature in °C not determined

Decomposition temperature not determined

Viscosity not determined

Explosive properties not relevant

Oxidising properties not relevant

#### 9.2 Other information

not applicable

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5 Incompatible materials

No further relevant information available.

## 10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

## Disodium carbonate, compound with hydrogen peroxide (2:3)

LD50: oral (Rat): = 1.034 mg/kg

LD50: dermal (Rabbit): > 2.000 mg/kg

LD50: oral (Rat): = 1.034 mg/kg

LD50: dermal (Rabbit): > 2.000 mg/kg

#### Disodium disilicate

LD50: oral (Rat): > 2.000 mg/kg

\* LC50: inhalative (Rat): = 10,8 mg/L (4 h)

LD50: oral (Rat): > 2.000 mg/kg

\* LC50: inhalative (Rat): = 10,8 mg/L (4 h)

## Skin corrosion/irritation

\* Causes severe skin burns and eye damage.

# Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

Page 5/8 GB (en GB)

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



4830000 Bleaching component
Version 2.1 Revision date 08-Jul-2021

Print date 08-Jul-2021

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Based on available data, the classification criteria are not met.

#### Acute (short-term) fish toxicity

\* Disodium carbonate, compound with hydrogen peroxide (2:3)

LC50: (Pimephales promelas (fathead minnow)): = 70,7 mg/L (48 h)

#### . Disodium disilicate

LC50: (Danio rerio (zebrafish)): >= 500 mg/L (96 h)

## Acute (short-term) toxicity to algae and cyanobacteria

#### Disodium disilicate

NOEC (Scenedesmus subspicatus): = 18 mg/L (72 h)

Method: OECD 201

#### Disodium disilicate

\* EbC50: (Scenedesmus subspicatus): = 44,1 mg/L (72 h)

Method: OECD 201

## Acute (short-term) toxicity to crustacea

#### \* Disodium carbonate, compound with hydrogen peroxide (2:3)

EC50 (Daphnia pulex (water flea)): = 4,9 mg/L (48 h)

#### Disodium disilicate

\* EC50 (Daphnia magna (Big water flea)): = 491 mg/L (48 h)

Method: OECD 202

#### 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

# Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

## Waste codes/waste designations according to EWC/AVV

\* 200129\* - Detergents containing hazardous substances

## Other disposal recommendations

Page 6/8 GB (en GB)

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



4830000 Bleaching component
Version 2.1 Revision date 08-Jul-2021

Print date 08-Jul-2021

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

# **SECTION 14: Transport information**

#### 14.1 UN number

not applicable

#### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

# Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

### Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

#### 14.3 Transport hazard class(es)

not applicable

#### 14.4 Packing group

not applicable

#### 14.5 Environmental hazards

Land transport (ADR/RID) not applicable
Sea transport (IMDG) not applicable

#### 14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No transport as bulk according to IBC Code.

#### 14.8 Additional information

# Land transport (ADR/RID)

not applicable

#### Sea transport (IMDG)

not applicable

## Air transport (ICAO-TI / IATA-DGR)

not applicable

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

#### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

## Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value: < 1 g/l

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

#### Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

# **National regulations**

# 15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

REACH No. Substance name CAS No. EC No.

Page 7/8 GB (en GB)

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



4830000 Bleaching component

Version 2.1 Revision date 08-Jul-2021 Print date 08-Jul-2021

01-2119457268-30 Disodium carbonate, compound with hydrogen peroxide (2:3) 15630-89-4 239-707-6 01-2119485031-47-XXXX Disodium disilicate 13870-28-5 237-623-4

#### **SECTION 16: Other information**

#### Relevant R-, H- and EUH-phrases (Number and full text)Relevant R-and H-phrases (Number and full text):

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H318 Causes serious eye damage.

#### Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1 Calculation method. Skin Corr. 1 On basis of test data.

## Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

**DNEL: Derived No-Effect Level** 

EAKV: European Waste Catalogue Directive

EC: Effective Concentration EC: European Community EN: European Standard

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG Code: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

LC: Lethal Concentration

LD: Lethal Dose

MWC: Maximum wokplace concentration

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic PNEC: Predicted No Effect Concentration

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

**UN: United Nations** 

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

#### Indication of changes

\* Data changed compared with the previous version

Page 8/8 GB (en GB)