

| | 0000 sion 3.4 | COLOURS FOR LIFE Paint primer Revision date 09-May-2023 | Print date 09-May-202 | | |
|-----|--|---|-----------------------|--|--|
| SE | CTION 1: Identification of | the substance/mixture and of the company/undertaking | | | |
| 1.1 | Product identifier | | | | |
| | Trade name/designation | | | | |
| | 5100000 | COLOURS FOR LIFE Paint primer | | | |
| 1.2 | Relevant identified uses of t | he substance or mixture and uses advised against | | | |
| | Relevant identified uses | | | | |
| | Plating agent | | | | |
| 1.3 | Details of the supplier of the safety data sheet | | | | |
| | Supplier | | | | |
| | AURO Pflanzenchemie AG Alte Frankfurter Straße 211 A 38122 Braunschweig Deutschland | Telephone: +49 531 28141-0 Telefax: +49 531 28141-72 E-mail: info@auro.de Website: www.auro.de | | | |
| | Department responsible for | information | | | |
| | E-mail (competent person) | msds@auro.de | | | |
| 1.4 | · · · · · · · · · · · · · · · · | | | | |
| | Emergency telephone number Only available during office ho | | | | |
| SE | CTION 2: Hazards identifie | cation | | | |
| 2.1 | Classification of the substan | nce or mixture | | | |
| | - | Regulation (EC) No 1272/2008 [CLP] | | | |
| | The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. | | | | |
| 2.2 | Label elements | | | | |
| | Labelling according to Regulation (EC) No. 1272/2008 [CLP] | | | | |
| | Hazard pictograms | | | | |
| | not applicable | | | | |
| | Signal word | | | | |
| | not applicable | | | | |
| | Hazard statements | | | | |
| | | | | | |
| | Precautionary statements not applicable | | | | |
| | Hazard components for labelling | | | | |
| | not applicable | | | | |
| | Supplemental hazard information | | | | |
| | not applicable | | | | |
| 2.3 | Other hazards | | | | |
| | | do not meet the PBT/vPvB criteria according to REACH, annex XIII. | | | |
| SE | CTION 3: Composition/inf | ormation on ingredients. | | | |
| 3.2 | Mixtures | | | | |
| | Description | | | | |
| | Hazardous ingredients | | | | |
| | CAS No. EC No. | Substance name REACH No. | weight-% | | |

| | EC No. Index No. | REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP] | weight-% | |
|---|-----------------------------|---|----------|--|
| * | 3811-73-2 223-296-5 - | Pyridine-2-thiol 1-oxide, sodium salt 01-2119493385-28 Acute Tox. 4 H302 / Acute Tox. 3 H311 / Eye Irrit. 2A H319 / Acute Tox. 4 H332 / Aquatic Acute 1 H400 (M = 100,00) / Aquatic Chronic 2 H411 | < 0,025 | |



| 5100000 | COLOURS FOR LIFE Paint primer | | | | |
|---|---|---------------------------|--|--|--|
| Version 3.4 | Revision date 09-May-2023 | Print date 09-May-2023 | | | |
| | ATE (oral): = 1.208 mg/kg ATE (inhalative): = 1,08 mg/L (4 h) ATE (dermal): = 2.000 mg/k (oral): = 1.208 mg/kg ATE (inhalative): = 1,08 mg/L (4 h) ATE (dermal): = 2.000 mg/kg | (g ATE | | | |
| Remark Full text of H- and | EUH-statements: see section 16.Full text of H-phrases: see section 16. | | | | |
| SECTION 4: First a | aid measures | | | | |
| 4.1 Description of fi | rst aid measures | | | | |
| General informat | tion | | | | |
| | ubt, or when symptoms persist, seek medical advice. In case of unconsciousness give on and seek medical advice. | nothing by mouth, place | | | |
| Following inhala | Following inhalation | | | | |
| Remove casualty respiration. | Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration. | | | | |
| Following skin c | Following skin contact | | | | |
| Remove contamir Do not use solver | nated, saturated clothing immediately. After contact with skin, wash immediately with p nts or thinners. | elenty of water and soap. | | | |
| After eye contact | t | | | | |
| Rinse cautiously w medical advice im | with water for several minutes. Remove contact lenses, if present and easy to do. Con nmediately. | tinue rinsing. Seek | | | |
| Following ingest | tion | | | | |
| If swallowed, rinse NOT induce vomit | e mouth with water (only if the person is conscious). Seek medical advice immediately ting. | . Keep victim calm. Do | | | |
| Self-protection o | of the first aider | | | | |
| First aider: Pay at | ttention to self-protection! | | | | |
| 4.2 Most important s | symptoms and effects, both acute and delayed | | | | |
| Symptoms | | | | | |
| In all cases of dou | ubt, or when symptoms persist, seek medical advice. | | | | |
| 4.3 Indication of any | immediate medical attention and special treatment needed | | | | |
| First Aid, deconta | mination, treatment of symptoms. | | | | |
| SECTION 5: Firefig | phting measures | | | | |

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections



| 5100000 | COLOURS FOR LIFE Paint primer |
|-------------|-------------------------------|
| Version 3.4 | Revision date 09-May-2023 |
| | |

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0,4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection: EN 166

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

| 5100000 | COLOURS FOR LIFE Paint primer |
|-------------|-------------------------------|
| Version 3.4 | Revision date 09-May-2023 |

Print date 09-May-2023

9.1 Information on basic physical and chemical properties

| Physical state | Liquid |
|---|-----------------------|
| Colour | refer to label |
| Odour | characteristic |
| рН | not determined |
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | not determined |
| Flash point | not determined |
| flammability | not applicable |
| Lower explosion limit at 20°C | not determined |
| Upper explosion limit at 20°C | not determined |
| Vapour pressure at 20°C | 24,073 mbar |
| Relative vapour density | not applicable |
| Density at 20 °C | 1,167 kg/l |
| Water solubility at 20°C | practically insoluble |
| Partition coefficient: n-octanol/water | see section 12 |
| Ignition temperature in °C | not determined |
| Decomposition temperature | not determined |
| Viscosity at 40 °C: | not determined |
| | |

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

- Pyridine-2-thiol 1-oxide, sodium salt
- LD50: oral (Rat): = 1.208 mg/kg
- * LC50: inhalative (Rat): = 1,08 mg/L (4 h)

LD50: dermal (Rat): = 2.000 mg/kg

- LD50: oral (Rat): = 1.208 mg/kg
- * LC50: inhalative (Rat): = 1,08 mg/L (4 h)



5100000 Version 3.4 COLOURS FOR LIFE Paint primer Revision date 09-May-2023

Print date 09-May-2023

LD50: dermal (Rat): = 2.000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Overall Assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

* Endocrine disrupting properties

* This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity
 Pyridine-2-thiol 1-oxide, sodium salt
 LC50: (Oncorhynchus mykiss (Rainbow trout)): = 0,007 mg/L (96 h)
 Method: OECD 203

Acute (short-term) toxicity to algae and cyanobacteria

Pyridine-2-thiol 1-oxide, sodium salt
 NOEC (Selenastrum capricornutum): = 0,08 mg/L (72 h)
 Method: OECD 201

Pyridine-2-thiol 1-oxide, sodium salt

* EC50 (Selenastrum capricornutum): = 0,46 mg/L (72 h) Method: OECD 201

Acute (short-term) toxicity to crustacea

Pyridine-2-thiol 1-oxide, sodium salt
 EC50 (Daphnia magna (Big water flea)): = 0,022 mg/L (48 h)
 Method: OECD 202

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water = 0

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6* Endocrine disrupting properties

No information available.



| 5100 Versi | | OURS FOR LIFE Paint primer ision date 09-May-2023 | Print date 09-May-202 |
|---------------|--|--|---|
| 12.7 | Other adverse effects No information available. | | |
| SEC | CTION 13: Disposal considerati | ons | |
| 13.1 | Waste treatment methods | | |
| | Product/Packaging disposal | | |
| | | this material and its container in a safe way. Waste vaste. | disposal according to directive 2008/98/ |
| | Waste codes/waste designations | according to EWC/AVV | |
| | 080120 - aqueous suspensions cont | aining paint or varnish other than those mentioned ir | n 08 01 19 |
| | Other disposal recommendations | | |
| | Non-contaminated packages may be | e recycled. Vessels not properly emptied are special | waste. |
| SEC | CTION 14: Transport information | 'n | |
| 14.1 | UN number or ID number | | |
| | not applicable | | |
| 14.2 | UN proper shipping name | | |
| | Land transport (ADR/RID) | | |
| | No dangerous good in sense of thes | e transport regulations. | |
| | Sea transport (IMDG) | | |
| | No dangerous good in sense of thes | e transport regulations. | |
| | Air transport (ICAO-TI / IATA-DGR | | |
| | No dangerous good in sense of thes | e transport regulations. | |
| 14.3 | Transport hazard class(es) | | |
| | not applicable | | |
| 14.4 | Packing group not applicable | | |
| 14.5 | Environmental hazards | | |
| | Land transport (ADR/RID) Sea transport (IMDG) | not applicable not applicable | |
| 14.6 | Special precautions for user | | |
| * | Transport always in closed, upright a of an accident or leakage. Advices on safe handling: see parts | and safe containers. Make sure that persons transpo 6 - 8 | rting the product know what to do in case |
| 14.7 | Maritime transport in bulk accordi | | |
| | No transport as bulk according to IB | C Code. | |
| 14.8 | Additional information | | |
| | Land transport (ADR/RID) | | |
| | not applicable | | |
| | Sea transport (IMDG) | | |
| | not applicable | | |
| | Air transport (ICAO-TI / IATA-DGR | | |
| _ | not applicable | | |
| SEC | CTION 15: Regulatory information | on | |
| 15.1 | Safety, health and environmental | egulations/legislation specific for the substance | or mixture |
| | EU legislation | | |
| | Restrictions of occupation | | |
| | - | der the Maternity Protection Directive 92/85/EEC or | |

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value: 1 g/l

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds



| | 000 on 3.4 | COLOURS FOR LIFE Paint primer Revision date 09-May-2023 | Print date 09-May-202 | |
|----|---|---|-----------------------------------|--|
| | |) of the product in a ready to use condition: 1 | | |
| | | irements of Regulation (EC) No. 1935/2004 on the limitation of | | |
| | Hazard categories / Name | - | substances [Seveso-III-Directive] | |
| | | d according to Directive 2012/18/EU. | | |
| | National regulations | | | |
| | Observe in addition any national regulations! | | | |
| | Chemical Safety Assessm | enτ s of this mixture a chemical safety assessment has been carrie | ad out: | |
| | | 1 | CAS No. | |
| | REACH No. | Substance name | EC No. | |
| | 01-2119493385-28 | Pyridine-2-thiol 1-oxide, sodium salt | 3811-73-2 223-296-5 | |
| EC | CTION 16: Other information | ation | | |
| | | | to 15 | |
| | H302 | tements and/or precautionary statements from sections 2 Harmful if swallowed. | 10 15 | |
| | H311 | Toxic in contact with skin. | | |
| | H319 | Causes serious eye irritation. | | |
| | H332 | Harmful if inhaled. | | |
| | H400 | Very toxic to aquatic life. | | |
| | H411 | Toxic to aquatic life with long lasting effects. | | |
| | Classification for mixtures | s and used evaluation method according to regulation (EC) |) No 1272/2008 [CLP] | |
| | not applicable | | | |
| | Abbreviations and acrony | ms | | |
| | DNEL: Derived No-Effect Le EAKV: European Waste Ca EC: Effective Concentration EC: European Community EN: European Standard | ng and Packaging enic and Reprotoxic andardization / German industrial standard evel talogue Directive | | |
| | IBC Code: International Cod ICAO-TI: International Civil J IMDG Code: International M ISO: International Organizat LC: Lethal Concentration LD: Lethal Dose MWC: Maximum wokplace of MARPOL: Maritime Pollution OECD: Organisation for Eco PBT: persistent, bioaccumu PNEC: Predicted No Effect RID: Regulations concerning UN: United Nations | concentration n: The International Convention for the Prevention of Pollution f onomic Cooperation and Development lative, toxic Concentration g the International Carriage of Dangerous Goods by Rail | port of Dangerous Goods by Air | |
| | IBC Code: International Cod ICAO-TI: International Civil J IMDG Code: International M ISO: International Organizat LC: Lethal Concentration LD: Lethal Dose MWC: Maximum wokplace of MARPOL: Maritime Pollution OECD: Organisation for Eco PBT: persistent, bioaccumu PNEC: Predicted No Effect RID: Regulations concerning UN: United Nations VOC: Volatile Organic Com | de for the Construction and Equipment of Ships carrying Dange Aviation Organization Technical Instructions for the Safe Trans laritime Code for Dangerous Goods tion for Standardization concentration n: The International Convention for the Prevention of Pollution for bonomic Cooperation and Development lative, toxic Concentration g the International Carriage of Dangerous Goods by Rail pounds | port of Dangerous Goods by Air | |
| | IBC Code: International Cod ICAO-TI: International Civil J IMDG Code: International M ISO: International Organizat LC: Lethal Concentration LD: Lethal Dose MWC: Maximum wokplace of MARPOL: Maritime Pollution OECD: Organisation for Eco PBT: persistent, bioaccumu PNEC: Predicted No Effect RID: Regulations concerning UN: United Nations | de for the Construction and Equipment of Ships carrying Dange Aviation Organization Technical Instructions for the Safe Trans laritime Code for Dangerous Goods tion for Standardization concentration n: The International Convention for the Prevention of Pollution for bonomic Cooperation and Development lative, toxic Concentration g the International Carriage of Dangerous Goods by Rail pounds | port of Dangerous Goods by Air | |
| | IBC Code: International Cod ICAO-TI: International Civil J IMDG Code: International M ISO: International Organizat LC: Lethal Concentration LD: Lethal Dose MWC: Maximum wokplace of MARPOL: Maritime Pollution OECD: Organisation for Eco PBT: persistent, bioaccumu PNEC: Predicted No Effect RID: Regulations concerning UN: United Nations VOC: Volatile Organic Com vPvB: very persistent and very | de for the Construction and Equipment of Ships carrying Dange Aviation Organization Technical Instructions for the Safe Trans laritime Code for Dangerous Goods tion for Standardization concentration n: The International Convention for the Prevention of Pollution for onomic Cooperation and Development lative, toxic Concentration g the International Carriage of Dangerous Goods by Rail pounds ery bioaccumulative | port of Dangerous Goods by Air | |
| | IBC Code: International Cod ICAO-TI: International Civil J IMDG Code: International M ISO: International Organizat LC: Lethal Concentration LD: Lethal Dose MWC: Maximum wokplace of MARPOL: Maritime Pollution OECD: Organisation for Ecc PBT: persistent, bioaccumu PNEC: Predicted No Effect RID: Regulations concerning UN: United Nations VOC: Volatile Organic Comp vPvB: very persistent and vol | de for the Construction and Equipment of Ships carrying Dange Aviation Organization Technical Instructions for the Safe Trans laritime Code for Dangerous Goods tion for Standardization concentration n: The International Convention for the Prevention of Pollution for onomic Cooperation and Development lative, toxic Concentration g the International Carriage of Dangerous Goods by Rail pounds ery bioaccumulative | port of Dangerous Goods by Air | |