

SE 1.1		Revision date 18-Mar-2024	Print date 18-Mar-2		
.1	CTION 1: Identification of t	he substance/mixture and of the company/undertaki	ing		
	Product identifier				
	Trade name/designation				
	5100000	COLOURS FOR LIFE Paint primer			
2		e substance or mixture and uses advised against			
	Relevant identified uses				
	Plating agent				
3	Details of the supplier of the	safety data sheet			
	Supplier				
	AURO Pflanzenchemie AG				
	Alte Frankfurter Straße 211 A	Telephone: +49 531 28141-0			
	38122 Braunschweig	Telefax: +49 531 28141-72 E-mail: info@auro.de			
	Germany	Website: www.auro.de			
	Department responsible for ir	nformation			
	E-mail (competent person)	msds@auro.de			
4	Emergency telephone numbe	r			
	Emergency telephone number:				
	Only available during office hou				
E	CTION 2: Hazards identifica				
1	Classification of the substand	ce or mixture			
		egulation (EC) No 1272/2008 [CLP]			
		hazardous according to regulation (EC) No 1272/2008 [CLP].			
2	Label elements				
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
	Hazard pictograms				
	not applicable				
	Signal word				
	not applicable				
	Hazard statements				
	not applicable				
	Precautionary statements				
	not applicable				
	Hazard components for label	ling			
	not applicable				
	Supplemental hazard information				
	EUH208 Col	ntains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	e. 2-methylisothiazol-3(2H)-one.		
	Ma	y produce an allergic reaction.			
_	Ma EUH210 Saf	fety data sheet available on request.	,		
3	Ma EUH210 Saf Other hazards	ety data sheet available on request.			
	Ma EUH210 Saf Other hazards The substances in the mixture of	ety data sheet available on request. do not meet the PBT/vPvB criteria according to REACH, annex			
E(Ma EUH210 Saf Other hazards The substances in the mixture of CTION 3: Composition/info	ety data sheet available on request. do not meet the PBT/vPvB criteria according to REACH, annex			
SE(Ma EUH210 Saf Other hazards The substances in the mixture of CTION 3: Composition/info Mixtures	ety data sheet available on request. do not meet the PBT/vPvB criteria according to REACH, annex			
.3 SE(.2	Ma EUH210 Saf Other hazards The substances in the mixture of CTION 3: Composition/info Mixtures Description	ety data sheet available on request. do not meet the PBT/vPvB criteria according to REACH, annex			
SE	Ma EUH210 Saf Other hazards The substances in the mixture of CTION 3: Composition/info Mixtures	ety data sheet available on request. do not meet the PBT/vPvB criteria according to REACH, annex			

Index No.		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	0,025 < 0,050

AURO

00000	COLOURS FOR LIFE Paint primer		
ersion 5.0	Revision date 18-Mar-2024 Pr	Print date 18-Mar-2024	
220-120 613-088			
3811-73 223-296 -			
2682-20 220-239 613-320	6 01-2120764690-50	< 0,025	

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters



5100000	COLOURS FOR LIFE Paint primer
Version 5.0	Revision date 18-Mar-2024

Print date 18-Mar-2024

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Hand protection



		FOR LIFE Paint primer ate 18-Mar-2024	Print date 18-Mar-202
Suitable material: NE Thickness of the glo Breakthrough time >	ve material >= 0.4 mm		
For special purposes, it is recommended to check the resistance to chemicals of the pro- with the supplier of these gloves. Observe the instructions and details for use, storage, the protective glove manufacturer. Penetration time of glove material depending on inte Recommended glove articles:EN ISO 374		he instructions and details for use, storage, ma	aintenance and replacement provided by
Skin protection			
Barrier creams can h	elp protecting exposed	l skin areas. In no case should they be used a	fter contact.
Eye/face protection			
Eye glasses with sid	e protection: EN 166		
Body protection	abomical substances r	visite stive electricity with CE leads including the	four control digits must be wern
Environmental exp		protective clothing with CE-labels including the	four control digits must be worn.
	r into surface water or d	Irains	
-	CTION 9: Physical and chemical properties Information on basic physical and chemical properties		
	c physical and chemi		
Physical state		Liquid	
Colour		refer to label	
Odour		characteristic	
рН		not determined	
Melting point/freezing		not determined	
Initial boiling point ar	nd boiling range	not determined	
Flash point		not determined	
flammability		not applicable	
Lower explosion limi	t at 20°C	not determined	
Upper explosion limi	t at 20°C	not determined	
Vapour pressure at 2	20°C	24.022 mbar	
Relative vapour dens	sity	not applicable	
•		1.2 kg/l	
Density at 20 °C			
•)°C	practically insoluble	
Density at 20 °C		practically insoluble see section 12	
Density at 20 °C Water solubility at 20	n-octanol/water		

9.2 Other information

Viscosity at 40 °C:

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

not determined

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials



5100000	COLOURS FOR LIFE Paint primer
Version 5.0	Revision date 18-Mar-2024

Print date 18-Mar-2024

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

- LD50: oral (Rat): = 490 mg/kg; (OECD 401)
- * LD50: dermal (Rat): >= 2,000 mg/kg; (OECD 402)
- * LD50: oral (Rat): = 490 mg/kg; (OECD 401)
- LD50: dermal (Rat): >= 2,000 mg/kg; (OECD 402)

Pyridine-2-thiol 1-oxide, sodium salt

LD50: oral (Rat): = 1,208 mg/kg bw

LC50: inhalative (Rat): = 1.08 mg/m³ (4 h)

LD50: dermal (Rat): = 2,000 mg/kg bw

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

* Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

- 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one
 LC50: (Oncorhynchus mykiss (Rainbow trout)): = 2.15 mg/L (96 h)
 Method: OECD 203
- * **2-methylisothiazol-3(2H)-one** LC50: (Oncorhynchus mykiss (Rainbow trout)): = 4.77 mg/L (96 h)

Pyridine-2-thiol 1-oxide, sodium salt

LC50: (Danio rerio (zebrafish)): = 0.008 mg/L (96 h)

COLOURS FOR LIFE Paint primer

Revision date 18-Mar-2024

AUA	20
Р	rint date 18-Mar-2024

	Method: OECD 203
*	Acute (short-term) toxicity to algae and cyanobacteria 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one EC50 (Selenastrum capricornutum): = 110 μg/L (72 h) Method: OECD 201
*	NOEC: (Selenastrum capricornutum): = $40.3 \mu g/L$ (72 h) Method: OECD 201
*	2-methylisothiazol-3(2H)-one EC50 (Selenastrum capricornutum): = 0.103 mg/L (72 h)
	NOEC (Selenastrum capricornutum): = 0.05 mg/L (72 h)
	EC50 (Skeletonema costatum): = 0.072 mg/L (72 h)
	NOEC (Skeletonema costatum): = 0.072 mg/L (72 h)
	Pyridine-2-thiol 1-oxide, sodium salt NOEC (Selenastrum capricornutum): = 0.08 mg/L (72 h) Method: OECD 201
*	ErC50: (Selenastrum capricornutum): = 0.46 mg/L (72 h) Method: OECD 201
*	Acute (short-term) toxicity to crustacea 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one EC50 (Daphnia magna (Big water flea)): = 2.9 mg/L (48 h) Method: OECD 202
*	2-methylisothiazol-3(2H)-one EC50 (Daphnia magna (Big water flea)): = 0.934 mg/L (48 h)

LC50: (Mysidopsis bahia): = 2.98 mg/L (48 h)

Pyridine-2-thiol 1-oxide, sodium salt EC50 (Daphnia magna (Big water flea)): = 0.022 mg/L (48 h) Method: OECD 202

Chronic (long-term) toxicity to aquatic invertebrate 2-methylisothiazol-3(2H)-one NOEC (Daphnia magna (Big water flea)): = 0.044 mg/L (21 d)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

* Partition coefficient: n-octanol/water = -1.09 (Pyridine-2-thiol 1-oxide, sodium salt)

Partition coefficient: n-octanol/water = 0.7 (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one)
 Partition coefficient: n-octanol/water = -0.49 (2-methylisothiazol-3(2H)-one)

12.4 Mobility in soil

5100000

*

Version 5.0

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

Waste codes/waste designations according to EWC/AVV

080120 - aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19



5100 Versi	on 5.0	COLOURS FOR LIFE Paint primer Revision date 18-Mar-2024	Print date 18-Mar-2024	
	Other disposal recommend	dations		
		s may be recycled. Vessels not properly emptied are special v	vaste.	
SEC	CTION 14: Transport info	ormation		
14.1	UN number or ID number			
	not applicable			
14.2	UN proper shipping name			
	Land transport (ADR/RID)			
	v v	e of these transport regulations.		
	Sea transport (IMDG)			
		e of these transport regulations.		
	Air transport (ICAO-TI / IATA-DGR)			
	• •	e of these transport regulations.		
14.3	Transport hazard class(es)			
	not applicable			
14.4	Packing group			
	not applicable			
14.5	Environmental hazards			
	Land transport (ADR/RID)	not applicable		
	Sea transport (IMDG)	not applicable		
14.6	Special precautions for us			
	I ransport always in closed, i of an accident or leakage. Advices on safe handling: se	upright and safe containers. Make sure that persons transport	ting the product know what to do in case	
14.7	Maritime transport in bulk	according to IMO instruments		
	No transport as bulk accordi	ng to IBC Code.		
14.8	Additional information	с -		
	Land transport (ADR/RID)			
	not applicable			
	Sea transport (IMDG)			
	not applicable			
	Air transport (ICAO-TI / IAT	A-DGR)		
	not applicable			

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 1 g/l

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC limit value: 2004/42/IIA(d): 130 g/l (2010)

Maximum VOC content of the product in a ready to use condition: 1

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

AURO

5100 Versi	000 ion 5.0	COLOURS FOR LIFE Paint primer Revision date 18-Mar-2024	Print date 18-Mar-2024		
	REACH No.	Substance name	CAS No. EC No.		
*	01-2120761540-60	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	2634-33-5 220-120-9		
	01-2120764690-50	2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6		
	01-2119493385-28	Pyridine-2-thiol 1-oxide, sodium salt	3811-73-2 223-296-5		
SECTION 16: Other information					
List of relevant hazard statements and/or precautionary statements from sections 2 to 15					
	H301 Toxic if swallowed.				
		Harmful if swallowed.			
	H311				

- H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. Fatal if inhaled. H330 H331 Toxic if inhaled. H372 Causes damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. H411 EUH070 Toxic by eye contact.
 - EUH071 Corrosive to the respiratory tract.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

* not applicable

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road **OEL: Occupational Exposure Limit Value BLV: Biological limit values** CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard **DNEL: Derived No-Effect Level** EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association - Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization LC: Lethal Concentration LD: Lethal Dose MWC: Maximum wokplace concentration MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECD: Organisation for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PNEC: Predicted No Effect Concentration RID: Regulations concerning the International Carriage of Dangerous Goods by Rail **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent and very bioaccumulative Indication of changes

* Data changed compared with the previous version.