AURO

		COLOURS FOR LIFE Clear lacquer, matt Revision date 12-Feb-2024	Print date 22-Apr-20	
		e substance/mixture and of the company/undertaking		
	Product identifier			
	Trade name/designation			
	5180000	COLOURS FOR LIFE Clear lacquer, matt		
1.2		substance or mixture and uses advised against		
	Relevant identified uses			
1.3	Details of the supplier of the sa	fety data sheet		
1.5	Supplier			
	AURO Pflanzenchemie AG			
	Alte Frankfurter Straße 211 A	Telephone: +49 531 28141-0		
	38122 Braunschweig Germany	Telefax: +49 531 28141-72 E-mail: info@auro.de		
		Website: www.auro.de		
	Importer/Only Representative			
	AURO Pflanzenchemie AG Alte Frankfurter Straße 211 A	Telephone: +49 531 28141-0		
	38122 Braunschweig	Telefax: +49 531 28141-72		
	Germany	E-mail: info@auro.de Website: www.auro.de		
	Department responsible for inf			
	E-mail (competent person)	msds@auro.de		
1.4	Emergency telephone number			
	Emergency telephone number: +49 531 28141-34 Only available during office hours.			
SE	CTION 2: Hazards identificat	ion		
2.1	Classification of the substance	or mixture		
	Classification according to Regulation (EC) No 1272/2008 [CLP]			
• •		azardous according to regulation (EC) No 1272/2008 [CLP].		
2.2	Label elements			
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]			
	Hazard pictograms not applicable			
	Signal word			
	not applicable			
	Hazard statements			
	not applicable			
	Precautionary statements			
	not applicable Hazard components for labelling			
	not applicable			
	Supplemental hazard information			
	not applicable			
2.3	Other hazards			
		not meet the PBT/vPvB criteria according to REACH, annex XIII.		
	CTION 3: Composition/inforr	nation on ingredients.		
3.2	Mixtures			
	Description			

Substance name

CAS No.

AURO

5180000 COLOURS FOR LIFE Clear lacquer, matt Revision date 12-Feb-2024 Version 14.0 Print date 22-Apr-2024 EC No. weight-% **REACH No.** Index No. Classification according to Regulation (EC) No 1272/2008 [CLP] 3811-73-2 Pvridine-2-thiol 1-oxide, sodium salt < 0.025 223-296-5 01-2119493385-28 Acute Tox. 4 H302 / Acute Tox. 4 H312 / Skin Irrit. 2 H315 / Eye Irrit. 2A H319 / Acute Tox. 4 H332 / Aquatic Acute 1 H400 (M = 100,00) / Aquatic Chronic 1 H410 (M = 10,00) ATE (oral): = 1,208 mg/kg bw ATE (inhalative): = 1.08 mg/m^3 (4 h) ATE (dermal): = 2,000 mg/kg bw

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up



5180000	COLOURS FOR LIFE Clear lacquer, matt
Version 14.0	Revision date 12-Feb-2024

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available <u>Biological limit values</u> No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection



5180000	COLOURS FOR LIFE Clear lacquer, matt	
Version 14.0	Revision date 12-Feb-2024	Print date 22-Apr-2024

Eye glasses with side protection: EN 166

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
рН	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	23.856 mbar
Relative vapour density	not applicable
Density at 20 °C	1.1 kg/l
Water solubility at 20°C	partially soluble
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined
Decomposition temperature	not determined
Viscosity at 40 °C:	not determined

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

AURO

5180000 Version 14.0 COLOURS FOR LIFE Clear lacquer, matt

Revision date 12-Feb-2024

- * **Fynume-2-mon-1-oxue, somen sam** LD50: oral (Rat): = 1,208 mg/kg bw
- * LC50: inhalative (Rat): = 1.08 mg/m³ (4 h)
- * LD50: dermal (Rat): = 2,000 mg/kg bw

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

Pyridine-2-thiol 1-oxide, sodium salt LC50: (Oncorhynchus mykiss (Rainbow trout)): = 0.007 mg/L (96 h) Method: OECD 203

Acute (short-term) toxicity to algae and cyanobacteria

- NOEC (Selenastrum capricornutum): = 0.08 mg/L (72 h) Method: OECD 201
- EC50 (Selenastrum capricornutum): = 0.46 mg/L (72 h)
 Method: OECD 201

Acute (short-term) toxicity to crustacea * EC50 (Daphnia magna (Big water flea)): = 0.022 mg/L (48 h) Method: OECD 202

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water = 0 (Pyridine-2-thiol 1-oxide, sodium salt)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No information available.



5180 Vers	000 ion 14.0	COLOURS FOR LIFE Clear lacquer, matt Revision date 12-Feb-2024	Print date 22-Apr-202
12.7	Other adverse effects		
	No information available.		
SE	CTION 13: Disposal con	siderations	
13.1	Waste treatment methods		
	Product/Packaging dispos	al	
	EC, covering waste and dar		osal according to directive 2008/98/
	•	nations according to EWC/AVV ons containing paint or varnish other than those mentioned in 08 (01 10
	Other disposal recommen		01 19
	-	s may be recycled. Vessels not properly emptied are special wast	e
SE	CTION 14: Transport info		
	UN number or ID number		
	not applicable		
14.2	UN proper shipping name		
	Land transport (ADR/RID)		
		e of these transport regulations.	
	Sea transport (IMDG)		
		e of these transport regulations.	
	Air transport (ICAO-TI / IA		
		e of these transport regulations.	
14.3	Transport hazard class(es)	
	not applicable		
14.4	Packing group		
	not applicable		
14.5	Environmental hazards		
	Land transport (ADR/RID) Sea transport (IMDG)	not applicable not applicable	
14.6	Special precautions for us		
	Transport always in closed, of an accident or leakage. Advices on safe handling: so	upright and safe containers. Make sure that persons transporting ee parts 6 - 8	the product know what to do in case
14.7	Maritime transport in bulk	according to IMO instruments	
	No transport as bulk accord	ing to IBC Code.	
14.8	Additional information		
	Land transport (ADR/RID)		
	not applicable		
	Sea transport (IMDG)		
	not applicable		
	Air transport (ICAO-TI / IA	ΓA-DGR)	
_	not applicable		
SE	CTION 15: Regulatory in	formation	
15.1	Safety, health and environ	mental regulations/legislation specific for the substance or m	nixture
	EU legislation		
	Restrictions of occupation	1	
*	Observe employment restric	tions under the Maternity Protection Directive 92/85/EEC or stricte	er national regulations, if applicable.

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 1 g/l



5180000	COLOURS FOR LIFE Clear lacquer, matt			
Version 14.0	Revision date 12-Feb-2024	Print date 22-Apr-2024		
Directive 2004/42/EC on the limitation of emissions of volatile organic compounds				
VOC limit value: 2004/42/IIA(d): 130 g/l (2010)				

Maximum VOC content of the product in a ready to use condition: 1

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

REACH No.	Substance name	CAS No. EC No.
01-2119493385-28	y · · · · · · · · · · · · · · · · · · ·	3811-73-2 223-296-5

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

	• •
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- OEL: Occupational Exposure Limit Value
- BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration

EC: European Community

EN: European Standard

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

LC: Lethal Concentration

LD: Lethal Dose

MWC: Maximum wokplace concentration

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PNEC: Predicted No Effect Concentration

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

Indication of changes

* Data changed compared with the previous version.