# AURO

5180 Vers		COLOURS FOR LIFE Clear lacquer, matt Revision date 29-Jun-2023	Print date 29-Jun-202		
SE	CTION 1: Identification of the	e substance/mixture and of the company/undertaking			
1.1	Product identifier				
	Trade name/designation				
	5180000	COLOURS FOR LIFE Clear lacquer, matt			
.2		substance or mixture and uses advised against			
	Relevant identified uses				
.3	Details of the supplier of the sa	afety data sheet			
	Supplier	-			
	AURO Pflanzenchemie AG				
	Alte Frankfurter Straße 211 A	Telephone: +49 531 28141-0			
	38122 Braunschweig	Telefax: +49 531 28141-72			
	Deutschland	E-mail: info@auro.de Website: www.auro.de			
	Department responsible for inf				
	E-mail (competent person)	msds@auro.de			
.4	Emergency telephone number				
	Emergency telephone number: + Only available during office hours				
SE	CTION 2: Hazards identificat	ion			
.1	Classification of the substance	e or mixture			
	Classification according to Re	gulation (EC) No 1272/2008 [CLP]			
	-	azardous according to regulation (EC) No 1272/2008 [CLP].			
2.2	Label elements				
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
	Hazard pictograms				
	not applicable				
	Signal word				
	not applicable				
	Hazard statements				
	not applicable				
	Precautionary statements				
	not applicable				
	Hazard components for labelling				
	not applicable				
	Supplemental hazard informat	on			
	not applicable				
2.3	Other hazards				
05		o not meet the PBT/vPvB criteria according to REACH, annex XIII.			
	CTION 3: Composition/infor	nation on ingredients.			
.2	Mixtures				
	Description				
	Hazardous ingredients				
	CAS No.	Substance name			
	EC No. Index No.	REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%		



5180000	COLOURS FOR LIFE Clear lacquer, matt	
Version 13.0	Revision date 29-Jun-2023	Print date 29-Jun-2
	bw	

#### Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# Self-protection of the first aider

First aider: Pay attention to self-protection!

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

#### Unsuitable extinguishing media

Strong water jet

#### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

# 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

# 6.3 Methods and material for containment and cleaning up

# For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

#### 6.4 Reference to other sections

Safe handling: see section 7



5180000	COLOURS FOR LIFE Clear lacquer, matt
Version 13.0	Revision date 29-Jun-2023

Print date 29-Jun-2023

Personal protection equipment: refer to section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

# Advices on general occupational hygiene

When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3 Specific end use(s)

Observe technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No data available

### Biological limit values

No data available

#### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Personal protection equipment

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0,4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

#### Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Eye glasses with side protection: EN 166

#### **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

# Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

# AURO

5180000 Version 13.0		COLOURS FOR LIFE Clear lacquer, matt Revision date 29-Jun-2023	Print date 29-Jun-2023
	Physical state	Liquid	
	Colour	refer to label	
	Odour	characteristic	
	рН	not determined	
	Melting point/freezing point	not determined	
	Initial boiling point and boiling r	ange not determined	
	Flash point	not determined	
	flammability	not applicable	
	Lower explosion limit at 20°C	not determined	
	Upper explosion limit at 20°C	not determined	
	Vapour pressure at 20°C	23,83 mbar	
	Relative vapour density	not applicable	
	Density at 20 °C	1,04 kg/l	
	Water solubility at 20°C	partially soluble	
	Partition coefficient: n-octanol/	water see section 12	
	Ignition temperature in °C	not determined	
	Decomposition temperature	not determined	
	Viscosity at 40 °C:	not determined	
9.2	Other information		

not applicable

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

# 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5 Incompatible materials

No further relevant information available.

#### 10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

#### **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

Pyridine-2-thiol 1-oxide, sodium salt

# LD50: oral (Rat): = 1.208 mg/kg bw

- LC50: inhalative (Rat): = 1,08 mg/m<sup>3</sup> (4 h)
- LD50: dermal (Rat): = 2.000 mg/kg bw

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.

# Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.



5180000	COLOURS FOR LIFE Clear lacquer, matt
Version 13.0	Revision date 29-Jun-2023

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

# Overall Assessment on CMR properties

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Based on available data, the classification criteria are not met.

#### Acute (short-term) fish toxicity

Pyridine-2-thiol 1-oxide, sodium salt
LC50: (Oncorhynchus mykiss (Rainbow trout)): = 0,007 mg/L (96 h)
Method: OECD 203

#### Acute (short-term) toxicity to algae and cyanobacteria

#### Pyridine-2-thiol 1-oxide, sodium salt

NOEC (Selenastrum capricornutum): = 0,08 mg/L (72 h) Method: OECD 201

#### **Pyridine-2-thiol 1-oxide, sodium salt** EC50 (Selenastrum capricornutum): = 0,46 mg/L (72 h)

Method: OECD 201 (72 n)

# Acute (short-term) toxicity to crustacea

Pyridine-2-thiol 1-oxide, sodium salt
EC50 (Daphnia magna (Big water flea)): = 0,022 mg/L (48 h)
Method: OECD 202

#### 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

\* Partition coefficient: n-octanol/water = 0

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6 Endocrine disrupting properties

#### No information available. 12.7 Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



5180 Versi	000 ion 13.0	COLOURS FOR LIFE Clear lacquer, matt Revision date 29-Jun-2023	Print date 29-Jun-2023	
	EC, covering waste and dan Waste codes/waste design	pose of this material and its container in a safe way. Waste disposal ac gerous waste. ations according to EWC/AVV ons containing paint or varnish other than those mentioned in 08 01 19	cording to directive 2008/98/	
	-	may be recycled. Vessels not properly emptied are special waste.		
SEC	CTION 14: Transport info	rmation		
14.1	UN number or ID number			
	not applicable			
14.2	UN proper shipping name			
	Land transport (ADR/RID)			
		e of these transport regulations.		
	Sea transport (IMDG)			
	No dangerous good in sense of these transport regulations.			
	Air transport (ICAO-TI / IAT	· •		
	No dangerous good in sense of these transport regulations.			
14.3	Transport hazard class(es)			
	not applicable			
14.4	Packing group			
	not applicable			
14.5	Environmental hazards			
	Land transport (ADR/RID) Sea transport (IMDG)	not applicable not applicable		
14.6	Special precautions for use	er		
	Transport always in closed, u of an accident or leakage. Advices on safe handling: se	upright and safe containers. Make sure that persons transporting the pro ee parts 6 - 8	oduct know what to do in case	
14.7	Maritime transport in bulk	according to IMO instruments		
	No transport as bulk according	-		
14.8	Additional information			
	Land transport (ADR/RID)			
	not applicable			
	Sea transport (IMDG)			
	not applicable			
	Air transport (ICAO-TI / IAT	A-DGR)		
	not applicable			
SEC	CTION 15: Regulatory inf	ormation		
15.1	Safety, health and environr	nental regulations/legislation specific for the substance or mixture		
	EU legislation			
	Restrictions of occupation			
		ions under the Maternity Protection Directive 92/85/EEC or stricter natio	onal regulations, if applicable.	

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

# Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value: 1 g/l

# Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC limit value: 2004/42/IIA(d): 130 g/l (2010)

Maximum VOC content (g/L) of the product in a ready to use condition: 1

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances



5180000	COLOURS FOR LIFE Clear lacquer, matt	
Version 13.0	Revision date 29-Jun-2023	Print date 29-Jun-2023
-	-	

This product is not classified according to Directive 2012/18/EU.

#### **National regulations**

Observe in addition any national regulations!

### 15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

REACH No.	Substance name	CAS No. EC No.
01-2119493385-28	Pyridine-2-thiol 1-oxide, sodium salt	3811-73-2 223-296-5

# **SECTION 16: Other information**

List of relevant hazard statements and/or precautionary statements from sections 2 to	15
---	----

- H302
- Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

#### not applicable

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- **OEL: Occupational Exposure Limit Value**
- **BLV: Biological limit values**

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration

EC: European Community

EN: European Standard

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG Code: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

LC: Lethal Concentration

LD: Lethal Dose

MWC: Maximum wokplace concentration

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PNEC: Predicted No Effect Concentration

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

**UN: United Nations** 

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

#### Indication of changes

\* Data changed compared with the previous version