# AURO

		Scale and rust remover Revision date 12-Feb-2024	Print date 07-Mar-202		
SE	CTION 1: Identification of the	substance/mixture and of the company/undertaking			
1.1	Product identifier				
	Trade name/designation				
	6540000	Scale and rust remover			
	UFI:	08T0-Y0PR-200C-9CUS			
1.2	Relevant identified uses of the	substance or mixture and uses advised against			
	Relevant identified uses	_			
	Cleaning agent				
1.3	Details of the supplier of the sa	fety data sheet			
	Supplier				
	AURO Pflanzenchemie AG				
	Alte Frankfurter Straße 211 A	Telephone: +49 531 28141-0			
	38122 Braunschweig	Telefax: +49 531 28141-72 E-mail: info@auro.de			
	Germany	Website: www.auro.de			
	Department responsible for info	ormation			
	E-mail (competent person)	msds@auro.de			
1.4	Emergency telephone number				
	Emergency telephone number: +4				
	Only available during office hours				
SE	CTION 2: Hazards identificati	on			
2.1	Classification of the substance	or mixture			
	Classification according to Regulation (EC) No 1272/2008 [CLP]				
	The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].				
		eye irritation; H319 Causes serious eye irritation.			
2.2	Label elements				
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
	Hazard pictograms				
	$\wedge$				
*					
	· · /				
	GHS07				
	Signal word				
	Warning Hazard statements				
		es serious eye irritation.			
	Precautionary statements	es senous eye initation.			
		dical advice is needed, have product container or label at hand.			
		out of reach of children.			
	Hazard components for labelling				
	not applicable				
	Supplemental hazard information				
	not applicable				
2.3	Other hazards				
	The substances in the mixture do	not meet the PBT/vPvB criteria according to REACH, annex XIII.			
SE	CTION 3: Composition/inform	nation on ingredients.			
3.2	Mixtures				

Hazardous ingredients

# AURO

6540000	Scale and rust remover Revision date 12-Feb-2024
Version 2.0	
-	
CAS No.	Sub

Print date 07-Mar-2024

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
5949-29-1 201-069-1 -	<b>Zitronensäure Monohydrat</b> 01-2119457026-42 Eye Irrit. 2 H319 ATE (oral): > 2,000 mg/kg ATE (oral): > 2,000 mg/kg	5,00 < 7,00
79-33-4 201-196-2 -	L-(+)-lactic acid 01-2119474164-39-xxxx Skin Irrit. 2 H315 / Eye Dam. 1 H318 Specific concentration limit (SCL) Eye Irrit. 2 H319: >= 1,00 / Eye Dam. 1 H318: >= 3,00 / Skin Irrit. 2 H315: >= 10,00 ATE (oral): = 3,543 mg/kg ATE (inhalative): > 7.94 mg/L (4 h) ATE (dermal): > 2,000 mg/kg ATE (inhalative): > 7.94 mg/L (4 h) ATE (dermal): > 2,000 mg/kg	1,00 < 2,00

# Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

# Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

# Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

# After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# Self-protection of the first aider

First aider: Pay attention to self-protection!

# 4.2 Most important symptoms and effects, both acute and delayed

### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water) Unsuitable extinguishing media

Strong water jet

# 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

# 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.



6540000	Scale and rust remover
Version 2.0	Revision date 12-Feb-2024

Print date 07-Mar-2024

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

# 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

# 6.3 Methods and material for containment and cleaning up

### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

### For cleaning up

Clean using cleansing agents. Do not use solvents.

# 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

### Advices on general occupational hygiene

When using do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

# Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

# 7.3 Specific end use(s)

Storage class

Observe technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# Occupational exposure limit values

No data available Biological limit values No data available

# 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

# Personal protection equipment

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

# Hand protection



6540000 Version 24		Scale and rust remover	Drint data 07 Mar 000
Version 2.0		Revision date 12-Feb-2024	Print date 07-Mar-202
	ble material: NBR (Nitrile rul ness of the glove material >		
Brea	kthrough time >= 480 min		
with t the p	the supplier of these gloves.	nended to check the resistance to chemicals of the prot Observe the instructions and details for use, storage, m r. Penetration time of glove material depending on inten ISO 374	naintenance and replacement provided by
Skin	protection		
Barri	er creams can help protectin	g exposed skin areas. In no case should they be used a	after contact.
•	face protection		
	glasses with side protection:	EN 166	
	y protection		
	-	estances, protective clothing with CE-labels including the	e four control digits must be worn.
	ronmental exposure contro ot allow to enter into surface		
	N 9: Physical and chem		
	mation on basic physical a		
•	ical state	Liquid	
Colo	ur	refer to label	
Odou	ır	characteristic	
рН		2.5	
Melti	ng point/freezing point	not determined	
Initia	I boiling point and boiling ran	ge not determined	
Flash	n point	not determined	
flamr	mability	not applicable	
Lowe	er explosion limit at 20°C	not determined	
Uppe	er explosion limit at 20°C	not determined	
Vapo	our pressure at 20°C	22.742 mbar	
Relat	tive vapour density	not applicable	
Dens	sity at 20 °C	1.0 kg/l	
Wate	er solubility at 20°C	partially soluble	
Parti	tion coefficient: n-octanol/wa	ter see section 12	
Igniti	on temperature in °C	not determined	
Deco	omposition temperature	not determined	
	osity at 40 °C:	not determined	
	r information		
9.2 Othe			

# 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

# 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

# 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

# 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

# 10.5 Incompatible materials

No further relevant information available.



6540000	Scale and rust remover
Version 2.0	Revision date 12-Feb-2024

# 10.6 Hazardous decomposition products

\* Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

- \* L-(+)-lactic acid
- LD50: oral (Rat): = 3,543 mg/kg
- LC50: inhalative (Rat): > 7.94 mg/L (4 h); (OECD 403)
- \* LD50: dermal (Rabbit): > 2,000 mg/kg
- \* LD50: oral (Rat): = 3,543 mg/kg
- \* LC50: inhalative (Rat): > 7.94 mg/L (4 h); (OECD 403)
- \* LD50: dermal (Rabbit): > 2,000 mg/kg
- \* Zitronensäure Monohydrat
- LD50: oral (Rat): > 2,000 mg/kg
- LD50: oral (Rat): > 2,000 mg/kg

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.

# Serious eye damage/eye irritation

Causes serious eye irritation.

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

# Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

# Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

# 11.2 Information on other hazards

# \* Endocrine disrupting properties

 This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Based on available data, the classification criteria are not met.

# Acute (short-term) fish toxicity

L-(+)-lactic acid LC50: (Lepomis macrochirus (Bluegill)): = 130 mg/L (96 h)

ECSO: (Eeponiis macrochinas (Bidegiii)). = 130 mg/E

 Acute (short-term) toxicity to crustacea
\* EC50 (Daphnia magna (Big water flea)): = 130 mg/L (48 h) Method: OECD 202

# 12.2 Persistence and degradability

Print date 07-Mar-2024



6540 Versi	0000 ion 2.0	Scale and rust remover Revision date 12-Feb-2024	Print date 07-Mar-202
	No information available		
12.3	3 Bioaccumulative potential		
*	Partition coefficient: n-octanol/water = -0.54 (L-(+)-lactic acid)		
124	.4 Mobility in soil		
12.4	No information available		
12 5	Results of PBT and vP	-	
		nixture do not meet the PBT/vPvB criteria according to REACH, ann	nex XIII
12.6*	* Endocrine disrupting p		
	No information available	-	
12.7	Other adverse effects		
	No information available		
SEC	CTION 13: Disposal c		
	Waste treatment metho		
	Product/Packaging dis	posal	
	•••	; dispose of this material and its container in a safe way. Waste dis	sposal according to directive 2008/98/
	Waste codes/waste des	signations according to EWC/AVV	
	200130 - detergents othe	er than those mentioned in 20 01 29	
	Other disposal recomm	nendations	
	Non-contaminated packa	ages may be recycled. Vessels not properly emptied are special wa	aste.
SEC	CTION 14: Transport	information	
14.1	UN number or ID numb	)er	
	not applicable		
14.2	UN proper shipping na	me	
	Land transport (ADR/R	lD)	
	No dangerous good in s	ense of these transport regulations.	
	Sea transport (IMDG)		
	No dangerous good in s	ense of these transport regulations.	
	Air transport (ICAO-TI	/ IATA-DGR)	
	No dangerous good in se	ense of these transport regulations.	
14.3	Transport hazard class	s(es)	
	not applicable		
14.4	Packing group		
	not applicable		
14.5	Environmental hazards	3	
	Land transport (ADR/RI	D) not applicable	
	Sea transport (IMDG)	not applicable	
14.6	Special precautions for	r user	
÷	Transport always in clos of an accident or leakage Advices on safe handling		ng the product know what to do in case
14.7		pulk according to IMO instruments	
	No transport as bulk acc	-	
4.8	Additional information		
	Land transport (ADR/R	<i>ו</i> שו	
	not applicable		
	Sea transport (IMDG)		
	not applicable		
	Air transport (ICAO-TI /	IAIA-UGK)	
	not applicable		



Print date 07-Mar-2024

6540000Scale and rust removerVersion 2.0Revision date 12-Feb-2024

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU legislation

# Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

# Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 4 g/l

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

# National regulations

Observe in addition any national regulations!

# 15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

	REACH No.	Substance name	CAS No. EC No.
*	01-2119474164-39-xxxx	L-(+)-lactic acid	79-33-4 201-196-2
*	01-2119457026-42	Zitronensäure Monohydrat	5949-29-1 201-069-1

# **SECTION 16: Other information**

# List of relevant hazard statements and/or precautionary statements from sections 2 to 15

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

# Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2 Calculation method.

# Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration

EC: European Community

EN: European Standard

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG Code: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

LC: Lethal Concentration

LD: Lethal Dose

MWC: Maximum wokplace concentration

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PNEC: Predicted No Effect Concentration

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

6540000 Version 2.0 Scale and rust remover Revision date 12-Feb-2024



Print date 07-Mar-2024

# Indication of changes

\* Data changed compared with the previous version.