AURO

6630000 Version 4.0		Stainless steel cleaner Revision date 12-Feb-2024	Print date 07-Mar-2024	
SE	CTION 1: Identification of th	e substance/mixture and of the company/undertaking		
1.1	Product identifier			
	Trade name/designation			
	6630000	Stainless steel cleaner		
	UFI:	MRV0-N0Q7-X00Q-G8RN		
1.2	Relevant identified uses of the	e substance or mixture and uses advised against		
	Relevant identified uses			
	Cleaning agent			
1.3	Details of the supplier of the safety data sheet			
	Supplier			
	AURO Pflanzenchemie AG Alte Frankfurter Straße 211 A 38122 Braunschweig Germany	Telephone: +49 531 28141-0 Telefax: +49 531 28141-72 E-mail: info@auro.de Website: www.auro.de		
	Department responsible for information			
	E-mail (competent person)	msds@auro.de		
1.4	Emergency telephone number Emergency telephone number: +44 1544388535 Only available during office hours.			
SE	CTION 2: Hazards identifica	tion		
2.1	Classification of the substance or mixture			
	Classification according to Regulation (EC) No 1272/2008 [CLP]			
	The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Skin Irrit. 2; Skin corrosion/irritation; H315 Causes skin irritation. Skin Sens. 1; Skin sensitisation; H317 May cause an allergic skin reaction. Aquatic Chronic 3; Hazardous to the aquatic environment; H412 Harmful to aquatic life with long lasting effects.			
2.2	Label elements			

l elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



GHS07 Signal word

Warning

Hazard statements

H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary statements	6	
P101	If medical advice is needed, have product container o	
P102	Keep out of reach of children.	

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves and eye/face protection.
P501	Dispose of contents/container to industrial incineration plant.

Hazard components for labelling

Extractives and their physically modified derivatives such as tinctures, concretes, absolutes, essential oils, oleoresins, terpenes, terpene-free fractions, distillates, residues, etc., obtained from Pinus sylvestris, Pinaceae. Orange, sweet, ext.

Supplemental hazard information

not applicable

2.3 Other hazards



6630000Stainless steel cleanerVersion 4.0Revision date 12-Feb-2024

Print date 07-Mar-2024

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients.

3.2 Mixtures

Description

Hazardous ingredients

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
8028-48-6 232-433-8 -	Orange, sweet, ext. 01-2119493353-35-0003 Flam. Liq. 3 H226 / Asp. Tox. 1 H304 / Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Aquatic Chronic 2 H411 ATE (oral): > 5,000 mg/kg ATE (oral): > 5,000 mg/kg	7,00 < 8,00
584-08-7 209-529-3 -	Potassium carbonate 01-2119532646-36 Skin Irrit. 2 H315 / Eye Irrit. 2 H319 / STOT SE 3 H335 ATE (oral): > 2,000 mg/kg ATE (inhalative): > 4.96 mg/L (4 h) ATE (oral): > 2,000 mg/kg ATE (oral): > 2,000 mg/kg ATE (oral): > 2,000 mg/kg ATE (inhalative): > 4.96 mg/L (4 h) ATE (inhalative): > 4.96 mg/L (4 h) ATE (inhalative): > 4.96 mg/L (4 h) ATE (dermal): > 2,000 mg/kg	3,00 < 5,00
84012-35-1 281-679-2 -	 Extractives and their physically modified derivatives such as tinctures, concretes, absolutes, essential oils, oleoresins, terpenes, terpene-free fractions, distillates, residues, etc., obtained from Pinus sylvestris, Pinaceae. Flam. Liq. 3 H226 / Asp. Tox. 1 H304 / Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Aquatic Chronic 2 H411 ATE (oral): 3,700 mg/kg ATE (oral): 3,700 mg/kg 	
5949-29-1 201-069-1 -	Zitronensäure Monohydrat 01-2119457026-42 Eye Irrit. 2 H319 ATE (oral): > 2,000 mg/kg ATE (oral): > 2,000 mg/kg	0,500 < 1,00

Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed



6630000Stainless steel cleanerVersion 4.0Revision date 12-Feb-2024

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water) **Unsuitable extinguishing media**

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)



6630000 Version 4.0 Stainless steel cleaner Revision date 12-Feb-2024

Print date 07-Mar-2024

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection: EN 166

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Physical state	Liquid
	Colour	refer to label
	Odour	characteristic
	рН	10.2
	Melting point/freezing point	not determined
	Initial boiling point and boiling range	not determined
	Flash point	not determined
	flammability	not applicable
	Lower explosion limit at 20°C	not determined
	Upper explosion limit at 20°C	not determined
	Vapour pressure at 20°C	18.718 mbar
	Relative vapour density	not applicable
	Density at 20 °C	1.0 kg/l
	Water solubility at 20°C	partially soluble
	Partition coefficient: n-octanol/water	see section 12
	Ignition temperature in °C	not determined
	Decomposition temperature	not determined
	Viscosity at 20 °C:	< 80 mm²/s
9.2	Other information	



6630000Stainless steel cleanerVersion 4.0Revision date 12-Feb-2024

Print date 07-Mar-2024

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

- Extractives and their physically modified derivatives such as tinctures, concretes, absolutes, essential oils, oleoresins, terpenes, terpene-free fractions, distillates, residues, etc., obtained from Pinus sylvestris, Pinaceae.
- LD50: oral (Rat): 3,700 mg/kg
- * LD50: oral (Rat): 3,700 mg/kg
- * Orange, sweet, ext.
- LD50: oral (Rat): > 5,000 mg/kg
- LD50: oral (Rat): > 5,000 mg/kg
- * Potassium carbonate
- LD50: oral (Rat): > 2,000 mg/kg
- LC50: inhalative (Rat): > 4.96 mg/L (4 h)
- * LD50: dermal (Rabbit): > 2,000 mg/kg
- * LD50: oral (Rat): > 2,000 mg/kg
- * LC50: inhalative (Rat): > 4.96 mg/L (4 h)
- * LD50: dermal (Rabbit): > 2,000 mg/kg
- * Zitronensäure Monohydrat
- LD50: oral (Rat): > 2,000 mg/kg
- * LD50: oral (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

* Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.



6630000	Stainless steel cleaner
Version 4.0	Revision date 12-Feb-2024

Print date 07-Mar-2024

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

* Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Acute (short-term) fish toxicity

- Orange, sweet, ext.
 LC50: (Pimephales promelas (fathead minnow)): = 0.7 mg/L (96 h)
 - Method: OECD 203

Potassium carbonate

LC50: (Oncorhynchus mykiss (Rainbow trout)): = 68 mg/L (96 h)

NOEC (Oncorhynchus mykiss (Rainbow trout)): = 33 mg/L (96 h)

Acute (short-term) toxicity to algae and cyanobacteria Orange, sweet, ext.

ErC50: (Desmodesmus subspicatus): = 150 mg/L (72 h) Method: OECD 201

Acute (short-term) toxicity to crustacea

* EC50 (Daphnia magna (Big water flea)): = 0.67 mg/L (48 h) Method: OECD 202

Potassium carbonate

EC50 (Daphnia pulex (water flea)): = 200 mg/L (48 h)

NOEC (Daphnia pulex (water flea)): = 120 mg/L (48 h)

12.2 Persistence and degradability

Orange, sweet, ext. Biodegradation = 72 % (28 d)

12.3 Bioaccumulative potential

* Partition coefficient: n-octanol/water >= 4 (Orange, sweet, ext.)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6* Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

Waste codes/waste designations according to EWC/AVV



6630 Versi	000 ion 4.0	Stainless ste Revision dat	eel cleaner e 12-Feb-2024	Print date 07-Mar-202
	200129* - Detergent	s containing hazardous s	substances	
	Other disposal reco	ommendations		
	Non-contaminated pa	ackages may be recycle	d. Vessels not properly emptied are spe	ecial waste.
SEC	CTION 14: Transpo	ort information		
	UN number or ID nu			
	not applicable			
14 2	UN proper shipping	name		
	Land transport (AD	וסוא <i>רא</i>) in sense of these transpo	ort rogulations	
	Sea transport (IMD)	-	on regulations.	
		in sense of these transpo	ort regulations	
	Air transport (ICAO	-		
	= =	in sense of these transpo	ort regulations	
14.3	Transport hazard c	-		
	not applicable	1400(00)		
14.4	Packing group			
	not applicable			
14.5	Environmental haza	ards		
	Land transport (ADR Sea transport (IMDG		not applicable not applicable	
4.6	Special precautions			
r		closed, upright and safe kage.	containers. Make sure that persons trar	nsporting the product know what to do in case
14.7		in bulk according to IM	O instruments	
		according to IBC Code.		
14.8	Additional informat	-		
	Land transport (AD	R/RID)		
	not applicable			
	Sea transport (IMD)	G)		
	not applicable	- /		
	Air transport (ICAO	-TI / IATA-DGR)		
	not applicable			
SEG	CTION 15: Regulat	tory information		
15.1	Safety, health and e	environmental regulatio	ons/legislation specific for the substa	ance or mixture
	EU legislation			
	Restrictions of occ	upation		
r	Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.			
	Directive 2010/75/E	U on industrial emissio	ons [Industrial Emissions Directive]	
	VOC value: 107 g/l			
	Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances			
	-	lassified according to Dir		
	National regulation	-		
•		- any national regulations!		
	Chamical Safaty As			

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

REACH No.

CAS No. EC No.

AURO

6630000 Version 4.0		Stainless steel cleaner Revision date 12-Feb-2024	Print date 07-Mar-2024
*	01-2119493353-35-0003	Orange, sweet, ext.	8028-48-6 232-433-8
*	01-2119532646-36	Potassium carbonate	584-08-7 209-529-3
*	01-2119457026-42	Zitronensäure Monohydrat	5949-29-1 201-069-1

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

	· · ·
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2	Calculation method.
Skin Sens. 1	Calculation method.
Aquatic Chronic 3	Calculation method.

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration

EC: European Community

EN: European Standard

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG Code: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

LC: Lethal Concentration

LD: Lethal Dose

MWC: Maximum wokplace concentration

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PNEC: Predicted No Effect Concentration

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

Indication of changes

* Data changed compared with the previous version.