

Department responsible for information

1.3 Details of the supplier of the safety data sheet

msds@auro.de

E-mail: info@auro.de Website: www.auro.de

Revision date 13-Jun-2024

E-mail (competent person) 1.4 Emergency telephone number

Emergency telephone number: +44 1544388535 Only available during office hours.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2 Label elements

8230000

Version 3.0

1.1 Product identifier

Plating agent

Supplier

Germany

8230000

Trade name/designation

Relevant identified uses

AURO Pflanzenchemie AG Alte Frankfurter Straße 211 A

38122 Braunschweig

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms not applicable

Signal word not applicable Hazard statements not applicable **Precautionary statements** not applicable Hazard components for labelling not applicable Supplemental hazard information not applicable

2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients.

3.2 Mixtures

Description Hazardous ingredients not applicable Remark Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



8230000	PurSolid Hard Oil (building product certified by DIBt	
Version 3.0	Revision date 13-Jun-2024	Print date 13-Jun-2024

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling



8230000	PurSolid Hard Oil (building product certified by DIBt	
Version 3.0	Revision date 13-Jun-2024	Print date 13-Jun-2024

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection: EN 166

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
pH	not determined



8230000 Version 3.0	PurSolid Hard Oil (building product certifi Revision date 13-Jun-2024	ed by DIBt Print date 13-Jun-2024
Melting point/freezing point	not determined	
Initial boiling point and boili	g range not determined	
Flash point	not determined	
flammability	not applicable	
Lower explosion limit at 20°	C not determined	
Upper explosion limit at 20°	C not determined	
Vapour pressure at 20°C	0.525 mbar	
Relative vapour density	not applicable	
Density at 20 °C	1.0 kg/l	
Water solubility at 20°C	practically insoluble	
Partition coefficient: n-octar	ol/water see section 12	
Ignition temperature in °C	not determined	
Decomposition temperature	not determined	
Viscosity at 20 °C:	< 700 mm²/s	

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard



Versi		Revision date 13-Jun-2024	Print date 13-Jun-20
		lassification criteria are not met.	
	Practical experience/human		
	Inhaling of solvent components respiratory organs, as well as o Dizziness, fatigue, amyostheni effects through skin resorption	s above the MWC-value can lead to health damage, e.g. irrit damage to the liver, kidneys and the central nerve system. Ir a, Dizziness, in serious cases: unconsciousness. Solvents r . Repeated or prolonged contact with the preparation may ca ontact dermatitis and/or absorption through skin. Splashing r	ndications for this are: Headache, may cause some of the aforementioned ause removal of natural fat from the
1.2	Information on other hazards	6	
	Endocrine disrupting proper	ties	
	This product does not contain meets the criteria.	a substance that has endocrine disrupting properties with re	espect to humans as no components
SEC	CTION 12: Ecological infor	mation	
12.1	Toxicity		
	Based on available data, the c	lassification criteria are not met.	
12.2	Persistence and degradabilit	у	
122	No information available.		
12.3	Bioaccumulative potential No information available.		
2.4	Mobility in soil		
	No information available.		
2.5	Results of PBT and vPvB as	sessment	
		do not meet the PBT/vPvB criteria according to REACH, and	nex XIII.
2.6	Endocrine disrupting proper	ties	
127	No information available. Other adverse effects		
12.1	No information available.		
SEC	CTION 13: Disposal consid	lerations	
3.1	Waste treatment methods		
	Product/Packaging disposal		
	Do not empty into drains; dispo EC, covering waste and dange	ose of this material and its container in a safe way. Waste di rous waste.	isposal according to directive 2008/98/
	Waste codes/waste designat	-	
	-	ish other than those mentioned in 08 01 11	
	Other disposal recommenda	nay be recycled. Vessels not properly emptied are special w	aste
SEC	CTION 14: Transport infor		
	UN number or ID number		
	not applicable		
4.2	UN proper shipping name		
	Land transport (ADR/RID)		
	No dangerous good in sense of	f these transport regulations.	
	Sea transport (IMDG)		
	No dangerous good in sense of		
	Air transport (ICAO-TI / IATA No dangerous good in sense of		
	No dangerous youd in sellse (

not applicable

14.4 Packing group

not applicable

14.5 Environmental hazards



Print date 13-Jun-2024

8230000	PurSolid Hard Oil (building product certified by DIBt
Version 3.0	Revision date 13-Jun-2024

Land transport (ADR/RID) Sea transport (IMDG) not applicable not applicable

14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

14.7 Maritime transport in bulk according to IMO instruments No transport as bulk according to IBC Code.

14.8 Additional information

Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR) not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 9 g/l

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC limit value: 2004/42/IIA(f): 700 g/l (2010)

Maximum VOC content of the product in a ready to use condition: 9

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

not applicable

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road OEL: Occupational Exposure Limit Value BLV: Biological limit values CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard DNEL: Derived No-Effect Level EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk



82300	00 PurSolid Hard Oil (building product certified by DIBt	
Versio	n 3.0 Revision date 13-Jun-2024	Print date 13-Jun-2024
I I I I I I I I I I I I I I I I I I I	CAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangero MDG Code: International Maritime Code for Dangerous Goods SO: International Organization for Standardization C: Lethal Concentration D: Lethal Dose MWC: Maximum wokplace concentration MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships DECD: Organisation for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic NEC: Predicted No Effect Concentration RID: Regulations concerning the International Carriage of Dangerous Goods by Rail IN: United Nations PVB: very persistent and very bioaccumulative	ous Goods by Air
I	ndication of changes	
ł	Data changed compared with the previous version.	