

## 8250000 One-off oil wax (building product certified by DIBt Revision date 13-Jun-2024 Version 3.0 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name/designation 8250000 One-off oil wax (building product certified by DIBt 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** Plating agent 1.3 Details of the supplier of the safety data sheet Supplier AURO Pflanzenchemie AG Alte Frankfurter Straße 211 A Telephone: +49 531 28141-0 38122 Braunschweig Telefax: +49 531 28141-72 Germany E-mail: info@auro.de Website: www.auro.de Department responsible for information E-mail (competent person) msds@auro.de 1.4 Emergency telephone number Emergency telephone number: +44 1544388535 Only available during office hours. **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms not applicable Signal word not applicable Hazard statements not applicable **Precautionary statements** not applicable Hazard components for labelling not applicable Supplemental hazard information not applicable 2.3 Other hazards The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. **SECTION 3: Composition/information on ingredients.** 3.2 Mixtures Description Hazardous ingredients not applicable Remark

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



8250000	One-off oil wax (building product certified by DIBt	
Version 3.0	Revision date 13-Jun-2024	Print date 13-Jun-2024

## **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

## Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

## Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

#### Unsuitable extinguishing media

Strong water jet

## 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

## 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

## For cleaning up

Clean using cleansing agents. Do not use solvents.

## 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advices on safe handling



8250000	One-off oil wax (building product certified by DIBt	
Version 3.0	Revision date 13-Jun-2024	Print date 13-Jun-2024

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

## Advices on general occupational hygiene

When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

**Storage class** LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3 Specific end use(s)

Observe technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## Occupational exposure limit values

No data available

#### Biological limit values

No data available

#### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Personal protection equipment

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

## Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Eye glasses with side protection: EN 166

#### **Body protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

## Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
pH	not determined

# AURO

82500 Versio		One-off oil wax (bui Revision date 13-Ju	lding product certified by DIBt un-2024	Print date 13-Jun-2024
I	Melting point/freezing point		not determined	
I	Initial boiling point and boiling r	ange	not determined	
F	Flash point		not determined	
f	flammability		not applicable	
l	Lower explosion limit at 20°C		not determined	
ι	Upper explosion limit at 20°C		not determined	
١	Vapour pressure at 20°C		0.525 mbar	
I	Relative vapour density		not applicable	
I	Density at 20 °C		1.0 kg/l	
١	Water solubility at 20°C		practically insoluble	
I	Partition coefficient: n-octanol/	vater	see section 12	
I	Ignition temperature in °C		not determined	
I	Decomposition temperature		not determined	
١	Viscosity at 20 °C:		> 700 mm²/s	

## 9.2 Other information

not applicable

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

## 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

## **10.3 Possibility of hazardous reactions**

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

## 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5 Incompatible materials

No further relevant information available.

## 10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Based on available data, the classification criteria are not met.

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

## Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

## Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard



8250 Versi	000 on 3.0	One-off oil wax (building product certified by DIBt Revision date 13-Jun-2024	Print date 13-Jun-20
	Based on available dat	a, the classification criteria are not met.	
	Practical experience/	human evidence	
	respiratory organs, as Dizziness, fatigue, amy effects through skin res	ponents above the MWC-value can lead to health damage, e.g. irritatively as damage to the liver, kidneys and the central nerve system. Incryosthenia, Dizziness, in serious cases: unconsciousness. Solvents masorption. Repeated or prolonged contact with the preparation may caulergic contact dermatitis and/or absorption through skin. Splashing masorption through skin.	dications for this are: Headache, ay cause some of the aforementioned use removal of natural fat from the
11.2 Information on other hazards			
Endocrine disrupting properties			
	This product does not meets the criteria.	contain a substance that has endocrine disrupting properties with resp	pect to humans as no components
SEC	CTION 12: Ecologica	al information	
2.1	Toxicity		
	Based on available dat	a, the classification criteria are not met.	
12.2	Persistence and degr	adability	
	No information availab	le.	
2.3	Bioaccumulative pote	ential	
	No information availab	le.	
2.4	Mobility in soil		
	No information availab	le.	
2.5	Results of PBT and v	PvB assessment	
	The substances in the	mixture do not meet the PBT/vPvB criteria according to REACH, anne	əx XIII.
2.6	Endocrine disrupting	properties	
	No information availab	le.	
2.7	Other adverse effects	6	
	No information availab	le.	
SEC	CTION 13: Disposal	considerations	
3.1	Waste treatment met	hods	
	Product/Packaging d Do not empty into drain EC, covering waste an	s; dispose of this material and its container in a safe way. Waste disp	oosal according to directive 2008/98/
	Waste codes/waste d	esignations according to EWC/AVV	
	080112 - waste paint a	nd varnish other than those mentioned in 08 01 11	
	Other disposal recom	nmendations	
	Non-contaminated pac	kages may be recycled. Vessels not properly emptied are special was	ste.
SEC	CTION 14: Transpor	tinformation	
4.1	UN number or ID num	nber	
	not applicable		
4.2	UN proper shipping n	ame	
	Land transport (ADR/	RID)	
	No dangerous good in	sense of these transport regulations.	
	Sea transport (IMDG)		
	No dangerous good in	sense of these transport regulations.	
	Air transport (ICAO-T	I / IATA-DGR)	
	No dangerous good in	sense of these transport regulations.	
4.3	Transport hazard clas	ss(es)	
	not applicable		
14.4	Packing group		
	not applicable		

## 14.5 Environmental hazards



8250000	One-off oil wax (building product certified by DIBt		
Version 3.0	Revision date 13-Jun-2024	Print date 13-Jun-2024	
Land transport (ADR/RID) Sea transport (IMDG)	not applicable		

ea transport (IMDG)

not applicable

## 14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

## 14.7 Maritime transport in bulk according to IMO instruments No transport as bulk according to IBC Code.

## 14.8 Additional information

Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR) not applicable

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** legislation

## **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

## Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 9 g/l

## Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC limit value: 2004/42/IIA(f): 700 g/l (2010)

Maximum VOC content of the product in a ready to use condition: 9

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

## National regulations

Observe in addition any national regulations!

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

not applicable

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

## Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road **OEL: Occupational Exposure Limit Value** BLV: Biological limit values CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard DNEL: Derived No-Effect Level EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association - Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk



8250000	One-off oil wax (building product certified by DIBt	
Version 3.0	Revision date 13-Jun-2024	Print date 13-Jun-2024
IMDG ( ISO: In LC: Le LD: Le MWC: MARP( OECD: PBT: p PNEC: RID: R UN: Ur VOC: \	II: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerou Code: International Maritime Code for Dangerous Goods Iternational Organization for Standardization thal Concentration thal Dose Maximum wokplace concentration OL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships Organisation for Economic Cooperation and Development ersistent, bioaccumulative, toxic Predicted No Effect Concentration egulations concerning the International Carriage of Dangerous Goods by Rail hited Nations /olatile Organic Compounds very persistent and very bioaccumulative	us Goods by Air
Indicat	tion of changes	
* Data	changed compared with the previous version.	