AURO

vers	sion 2.0	Revision date 12-Feb-2024	Print date 07-Mar-20
SE	CTION 1: Identification	n of the substance/mixture and of the company/undertaking	
1.1	Product identifier		
	Trade name/designation	1	
	3700000	Wall glaze wax, colourless	
.2	Relevant identified uses	s of the substance or mixture and uses advised against	
	Relevant identified uses	3	
	Plating agent		
.3	Details of the supplier of	of the safety data sheet	
	Supplier		
	AURO Pflanzenchemie A Alte Frankfurter Straße 2		
	38122 Braunschweig	11 A Telephone: +49 531 28141-0 Telefax: +49 531 28141-72	
	Germany	E-mail: info@auro.de	
	Department responsible	Website: www.auro.de	
	Department responsible E-mail (competent person		
.4	Emergency telephone n		
	Emergency telephone nu		
	Only available during official		
SE	CTION 2: Hazards ide	ıtification	
.1	Classification of the su	ostance or mixture	
	Classification according	g to Regulation (EC) No 1272/2008 [CLP]	
		as not hazardous according to regulation (EC) No 1272/2008 [CLP].	
2.2	Label elements		
	Labelling according to	Regulation (EC) No. 1272/2008 [CLP]	
	Hazard pictograms		
	not applicable		
	Signal word		
	not applicable		
	Hazard statements		
	not applicable		
	Precautionary statemer	lts	
	not applicable		
	Hazard components for	labelling	
	not applicable Supplemental hazard in	formation	
	not applicable	Tormation	
2.3	Other hazards		
		xture do not meet the PBT/vPvB criteria according to REACH, annex XIII.	
SE		n/information on ingredients.	
.2	Mixtures	-	
	Description		
	Hazardous ingredients		
	CAS No.	Substance name	
	EC No.	REACH No.	weight-%



acc	ording to Regulation (EU) 2020/878	
	0000Wall glaze wax, colourlesssion 2.0Revision date 12-Feb-2024Print date 07-Mar-202	24
	ATE (oral): = 1,208 mg/kg bw ATE (inhalative): = 1.08 mg/m ³ (4 h) ATE (dermal): = 2,000 mg/kg bw	
	Remark Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.	
SE	CTION 4: First aid measures	
4.1	Description of first aid measures	
	General information	
*	In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.	
	Following inhalation	
	Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.	
	Following skin contact	
	Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.	
	After eye contact	
	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.	
	Following ingestion If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do	
	NOT induce vomiting.	
	Self-protection of the first aider	
	First aider: Pay attention to self-protection!	
4.2	Most important symptoms and effects, both acute and delayed	
	Symptoms	
4.2	In all cases of doubt, or when symptoms persist, seek medical advice.	
4.3	Indication of any immediate medical attention and special treatment needed First Aid, decontamination, treatment of symptoms.	
ог		
95	CTION 5: Firefighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	
	alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)	
	Unsuitable extinguishing media	
	Strong water jet	
5.2	Special hazards arising from the substance or mixture	
5.3	Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Advice for firefighters	
5.5	Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.	
SE	CTION 6: Accidental release measures	
6.1	Personal precautions, protective equipment and emergency procedures	
0.1	Ventilate affected area. Do not breathe vapours.	
6.2	Environmental precautions	
	Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.	
6.3	Methods and material for containment and cleaning up	
	For containment	
	Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).	
	For cleaning up Clean using cleansing agents. Do not use solvents.	



Print date 07-Mar-2024

3700000 W	Vall glaze wax, colourless
Version 2.0 R	Revision date 12-Feb-2024

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Storage class

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles:EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection: EN 166

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

2020/878	n)
Wall glaze wax, colourless	

3700000Wall glaze wax, colourlessVersion 2.0Revision date 12-Feb-2024

Print date 07-Mar-2024

IR

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	refer to label
Odour	characteristic
рН	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	22.995 mbar
Relative vapour density	not applicable
Density at 20 °C	1.0 kg/l
Water solubility at 20°C	practically insoluble
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined
Decomposition temperature	not determined
Viscosity at 40 °C:	not determined

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

* Pyridine-2-thiol 1-oxide, sodium salt

- LD50: oral (Rat): = 1,208 mg/kg bw
- * LC50: inhalative (Rat): = 1.08 mg/m³ (4 h)

LD50: dermal (Rat): = 2,000 mg/kg bw

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

3700000	Wall glaze wax, colourless
Version 2.0	Revision date 12-Feb-2024
Serious eye damage/eye irrit	ation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

11.2 Information on other hazards

* Endocrine disrupting properties

 This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

Pyridine-2-thiol 1-oxide, sodium salt LC50: (Oncorhynchus mykiss (Rainbow trout)): = 0.007 mg/L (96 h) Method: OECD 203

Acute (short-term) toxicity to algae and cyanobacteria

- NOEC (Selenastrum capricornutum): = 0.08 mg/L (72 h) Method: OECD 201
- * EC50 (Selenastrum capricornutum): = 0.46 mg/L (72 h) Method: OECD 201
- Acute (short-term) toxicity to crustacea
 * EC50 (Daphnia magna (Big water flea)): = 0.022 mg/L (48 h) Method: OECD 202

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

* Partition coefficient: n-octanol/water = 0 (Pyridine-2-thiol 1-oxide, sodium salt)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6* Endocrine disrupting properties


No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



* Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

- * VOC value: 0 g/l
- * Directive 2004/42/EC on the limitation of emissions of volatile organic compounds
- * VOC limit value: 2004/42/IIA(k): 100 g/l (2010)
- * This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.



3700000	Wall glaze wax, colourless
Version 2.0	Revision date 12-Feb-2024

Print date 07-Mar-2024

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

	REACH No.	Substance name	CAS No. EC No.
*	01-2119493385-28	,	3811-73-2 223-296-5

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15
--

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

- BLV: Biological limit values
- CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration

- EC: European Community
- EN: European Standard

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

LC: Lethal Concentration

LD: Lethal Dose

MWC: Maximum wokplace concentration

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD: Organisation for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PNEC: Predicted No Effect Concentration

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

Indication of changes

* Data changed compared with the previous version.